

⊕ Phillips®



Phillips® Torsion Insert Bit

1/4" INSERT			HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 1 PCE
PH2	30	7.2	PH230ST	CPH230ST

⊞ Square



Square Torsion Insert Bit

1/4" INSERT			HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 2 PCE
SQ2	30	7.2	SQ230ST	CSQ230ST



Phillips® Torsion Power Bit

1/4" POWER			HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE PCE	CODE 1 PCE
PH2	75	7.2	PH275ST 5	CPH275ST
	100	7.2	PH2100ST 5	CPH2100ST
	150	7.2		CPH2150ST
PH2	50	7.2	PH250ST 10	CPH250ST



Square Torsion Power Bit

1/4" POWER			HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE PCE	CODE 1 PCE
SQ2	50	7.2	SQ250ST 10	CSQ250ST
SQ2	100	7.2	SQ2100ST 5	CSQ2100ST



Double Ended Phillips® Torsion Power Bit

1/4" POWER			HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 5 PCE	CODE 1 PCE
PH2 + PH2	65	7.2	PH265DT	CPH265DT

CARD
Supplied in
hangable card



HANDI PACK
Supplied in
hangable
plastic pack



Click or Scan & See | 



Click or Scan | Pack Sizes



Hex Torsion Insert Bit

1/4" INSERT			HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE 10 PCE	CODE 2 PCE
HEX5	30	7.2	HEX530ST	CHEX530ST



Hex Torsion Power Bit

1/4" POWER			HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE PCE	CODE 1 PCE
HEX5	50	7.2	HEX550ST 10	CHEX550ST
HEX6	50	7.2	HEX650ST 10	CHEX650ST



Magnetic Nutsetter Torsion Power Bit

1/4" POWER			HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE PCE	CODE 1 PCE
5/16"	65	12.7	NS51665ST 2	CNS51665ST



Pozidriv® Torsion Insert Bit

1/4" INSERT			HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE 10 PCE	CODE 2 PCE
PZ2	30	7.2	PZ230STR	CPZ230STR



Pozidriv® Torsion Power Bit

1/4" POWER			HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE PCE	CODE 1 PCE
PZ2	50	7.2	PZ250STR 10	CPZ250STR

⊕ Phillips® ISO 8764



Phillips® Impact Insert Bit

1/4" INSERT		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 2 PCE
PH1	25	PH125SM	PH125SMH	CPH125SM
PH2	25	PH225SM	PH225SMH	CPH225SM
PH3	25	PH325SM	PH325SMH	CPH325SM



Phillips® Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
PH1	50	PH150SM	PH150SMH	CPH150SM
	75	PH175SM	PH175SMH	CPH175SM
	100	PH1100SM	PH1100SMH	CPH1100SM
	150	PH1150SM	PH1150SMH	CPH1150SM
PH2	50	PH250SM	PH250SMH	CPH250SM
	75	PH275SM	PH275SMH	CPH275SM
	92	PH292SM		CPH292SM
	100	PH2100SM	PH2100SMH	CPH2100SM
	150	PH2150SM	PH2150SMH	CPH2150SM
PH3	50	PH350SM	PH350SMH	CPH350SM



Double Ended Phillips® Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
PH2 + PH2	65	PH265DSM	PH265DSMH	CPH265DSM

⊠ Square



Square Impact Insert Bit

1/4" INSERT		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 2 PCE
SQ2	25	SQ225SM	SQ225SMH	CSQ225SM



Square Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
SQ1	50	SQ150SM	SQ150SMH	CSQ150SM
SQ2	50	SQ250SM	SQ250SMH	CSQ250SM
	75	SQ275SM	SQ275SMH	CSQ275SM
	100	SQ2100SM	SQ2100SMH	CSQ2100SM
	150	SQ2150SM	SQ2150SMH	CSQ2150SM
SQ3	50	SQ350SM	SQ350SMH	CSQ350SM



Double Ended Square Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
SQ2 + SQ2	65	SQ265DSM	SQ265DSMH	CSQ265DSM



Hex Impact Insert Bit

1/4" INSERT		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 2 PCE
HEX5	25	HEX525SM	HEX525SMH	CHEX525SM



Hex Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
HEX4	50	HEX450SM	HEX450SMH	CHEX450SM
HEX5	50	HEX550SM	HEX550SMH	CHEX550SM
	75	HEX575SM	HEX575SMH	CHEX575SM
	150	HEX5150SM	HEX5150SMH	CHEX5150SM
HEX6	50	HEX650SM	HEX650SMH	CHEX650SM



Double Ended Hex Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
HEX5 + HEX5	65	HEX565DSM	HEX565DSMH	CHEX565DSM



Pozidriv® Impact Insert Bit

1/4" INSERT		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 2 PCE
PZ2	25	PZ225SM	PZ225SMH	CPZ225SM



Pozidriv® Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
SQ1	50	PZ250SM	PZ250SMH	CPZ250SM

CARD
Supplied in
hangable card



WRAP
Perfect for
bulk storage



HANDI PACK
Supplied in hangable
plastic pack



Click or Scan & See



Driver Bit Sets | PG 301



Click or Scan | Pack Sizes

Torx®



Torx® Impact Power Bit

1/4" POWER		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 1 PCE
T10	50	TX1050SM		CTX1050SM
T15	50	TX1550SM		CTX1550SM
T20	50	TX2050SM	TX2050SMH	CTX2050SM
	75	TX2075SM		
T25	50	TX2550SM	TX2550SMH	CTX2550SM
T30	50	TX3050SM	TX3050SMH	CTX3050SM
	75	TX3075SM		
T40	50	TX4050SM	TX4050SMH	CTX4050SM
T50	50	TX5050SM	TX5050SMH	CTX5050SM
	75	TX5075SM		
	100	TX50100SM		
	150	TX50150SM		


Slotted ISO 2380



Slotted Impact Insert Bit

1/4" INSERT		WRAP	HANDI PK	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 10 PCE	CODE 2 PCE
SL6	25	SL625SM	SL625SMH	CSL625SM

Bit Holder



Magnetic Bit Holder with C Ring

1/4" POWER		WRAP	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 1 PCE
1/4"	65	MBHC75SM	CMBHC75SM
1/4"	65	MBHC150SM	CMBHC150SM

Adaptor



Adaptor Hex Drive to Square Drive

1/4" POWER		WRAP	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 1 PCE
1/4"	65	ADP14-65SM	CADP14-65SM
3/8"	65	ADP38-65SM	CADP38-65SM
1/2"	72	ADP12-72SM	CADP12-72SM



Magnetic Bit Holder - Spring Loaded Quick Release

1/4" POWER		WRAP	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 1 PCE
1/4"	75	MBHQR75SM	CMBHQR75SM



Click or Scan & See



Driver Bit Sets | PG 301



Click or Scan | Pack Sizes



33 PCE Bit Set



Assorted 1/4" Hex Drive
IMPACT Driver Bits in a
sturdy plastic storage case

Code: TMDSET-33

CONTAINS:

- | | |
|---------------------------|-------------------------------|
| 4 x Phillips® Insert Bits | 4 x Hex Power Bits |
| 8 x Phillips® Power Bits | 1 x Slotted Insert Bit |
| 1 x Pozidriv® Insert Bit | 4 x Torx® Power Bits |
| 1 x Pozidriv® Power Bit | 3 x Nutsetters |
| 1 x Square Insert Bit | 1 x Magnetic Bit Holder |
| 3 x Square Power Bits | 1 x Magnetic Booster (3 IN 1) |
| 1 x Hex Insert Bit | |



CARD
Supplied in
hangle card

3 IN 1 Magnetic Booster / Magnetiser / De-magnetiser



10x
MAGNETIC
STRENGTH


MAGNETIC BOOSTER
Place magnetiser on
driver bit to increase
magnetic strength &
use it as a stabiliser



MAGNETISER
To magnetise
insert & remove bit



DE-MAGNETISER
To de-magnetise simply
rub on one of the sides
with the magnet



Rub a side
with a magnet
to de-magnetise



**10
ITEMS**

10 PCE Bit Set




Assorted 1/4" Hex Drive
IMPACT Driver Bits

Code: TBS10TM

DESCRIPTION	SIZE	CODE	QTY
Phillips® Power Bits	PH2 x 50	PH250SSM	4
Square Power Bits	SQ2 x 50	SQ150SSM	1
	SQ3 x 50	SQ250SSM	1
Hex Power Bits	HEX5 x 50	HEX550SSM	2
Nutsetters	5/16" x 65	NS51665SSM	1
	3/8" x 65	NS3865SSM	1

ANTI-SHOCK MAGNET SYSTEM



Nutsetter ^{ISO 2936} Anti-shock Magnet



1/4" POWER		WRAP	HANDI PK	CARD	HANG TAG
Point Size	OAL mm	CODE 5 PCE	CODE 5 PCE	CODE 1 PCE	CODE 1 PCE
10.0mm	65	NS1065SM		CNS1065SM	
1/4"	45	NS1445SM	NS1445SMH	CNS1445SM	
	65	NS1465SM	NS1465SMH	CNS1465SM	
	150	NS14150SM		CNS14150SM	
	300				NS14300SM
	450				NS14450SM
	600				NS14600SM
5/16"	45	NS51645SM	NS51645SMH	CNS51645SM	
	65	NS51665SM	NS51665SMH	CNS51665SM	
	100	NS516100SM		CNS516100SM	
	150	NS516150SM		CNS516150SM	
	300				NS516300SM
	450				NS516450SM
3/8"	600				NS516600SM
	45	NS3845SM	NS3845SMH	CNS3845SM	
	65	NS3865SM	NS3865SMH	CNS3865SM	
	150	NS38150SM		CNS38150SM	
	300				NS38300SM
	450				NS38450SM
	600				NS38600SM

HANG TAG
Perfect for retail display

WRAP
Perfect for bulk storage

CARD
Supplied in hangable card

HANDI PACK
Supplied in hangable plastic pack



Click or Scan & See



Driver Bit Sets | PG 301



Click or Scan | Pack Sizes




6 PCE Cleanable Nutsetter Set

CONTAINS:

3 x Nutsetter sockets: 1/4", 5/16" & 3/8"
3 x Lengths: 65, 100 & 150mm

Code: NSSMC-SET6

Cleanable Nutsetter



2 PIECE

1/4" POWER		WRAP	CARD
Point Size	OAL mm	CODE 5 PCE	CODE 1 PCE
1/4"	65	NS1465SMC	CNS1465SMC
5/16"	65	NS51665SMC	CNS51665SMC
3/8"	65	NS3865SMC	CNS3865SMC

Cleanable Sockets



	WRAP	CARD
Point Size	CODE 5 PCE	CODE 1 PCE
1/4"	S1465SMC	CS1465SMC
5/16"	S51665SMC	CS51665SMC
3/8"	S3865SMC	CS3865SMC

CLEANABLE
easy removal of swarf



**REMOVE SOCKET
TO CLEAN**



INTERCHANGEABLE
for more tooling
combinations

**50x
LIFE**

REMOVABLE SOCKET = easy to remove swarf



⊕ Phillips® ISO 8764



Phillips® Impact Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
PH1	25	7.2	PH125SS	PH125SSH	CPH125SS
PH2	25	7.2	PH225SS	PH225SSH	CPH225SS
PH3	25	7.2	PH325SS	PH325SSH	CPH325SS



Phillips® Impact Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
PH1	50	7.2	PH150SS	PH150SSH	CPH150SS
	75	7.2	PH175SS	PH175SSH	CPH175SS
	100	7.2	PH1100SS	PH1100SSH	CPH1100SS
	150	7.2	PH1150SS	PH1150SSH	CPH1150SS
PH2	50	7.2	PH250SS	PH250SSH	CPH250SS
	50	7.2	PH250SSR*		
	75	7.2	PH275SS	PH275SSH	CPH275SS
	92	7.2	PH292SS	PH292SSH	
	100	7.2	PH2100SS	PH2100SSH	CPH2100SS
	150	7.2	PH2150SS	PH2150SSH	CPH2150SS
PH3	50	7.2	PH350SS	PH350SSH	CPH350SS



Double Ended Phillips® Impact Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
PH2 + PH2	45	7.2	PH245DSS	PH245DSSH	CPH245DSS
	65	7.2	PH265DSS	PH265DSSH	CPH265DSS

⊞ Square



Square Impact Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
SQ2	25	7.2	SQ225SS	SQ225SSH	CSQ225SS
SQ3	25	7.2	SQ325SS		CSQ325SS



Square Impact Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
SQ1	50	7.2	SQ150SS	SQ150SSH	CSQ150SS
SQ2	50	7.2	SQ250SS	SQ250SSH	CSQ250SS
	75	7.2	SQ275SS	SQ275SSH	CSQ275SS
	100	7.2	SQ2100SS	SQ2100SSH	CSQ2100SS
	150	7.2	SQ2150SS	SQ2150SSH	CSQ2150SS
SQ3	50	7.2	SQ350SS	SQ350SSH	CSQ350SS
	100	7.2	SQ3100SS		CSQ3100SS
	150	7.2	SQ3150SS		CSQ3150SS



Double Ended Square Impact Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
SQ2 + SQ2	65	7.2	SQ265DSS	SQ265DSSH	CSQ265DSS



Hex Impact Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
HEX5	25	7.2	HEX525SS	HEX525SSH	CHEX525SS



Pozidriv® Impact Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
PZ1	25	7.2	PZ125SS		
PZ2	25	7.2	PZ225SS	PZ225SSH	CPZ225SS



Hex Impact Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
HEX4	50	7.2	HEX450SS	HEX450SSH	CHEX450SS
HEX5	50	7.2	HEX550SS	HEX550SSH	CHEX550SS
	75	7.2	HEX575SS	HEX575SSH	CHEX575SS
HEX6	60	7.2	HEX660SS	HEX660SSH	CHEX660SS



Pozidriv® Impact Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body Ø mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
PZ2	50	7.2	PZ250SS	PZ250SSH	CPZ250SS



Double Ended Hex Impact Power Bit

1/4" POWER			WRAP	HANDI PK
Point Size	OAL mm	Body Ø mm	CODE 10 PCE	CODE 10 PCE
HEX5 + HEX5	65	7.2	HEX560DSS	HEX560DSSH

CARD
Supplied in
hangable card



WRAP
Perfect for
bulk storage



HANDI PACK
Supplied in hangable
plastic pack



DRIVER BITS



Click or Scan & See



Driver Bit Sets | PG 306



Click or Scan | Pack Sizes



Torx® Impact Insert Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Body ø mm	CODE 10 PCE
T25	25	7.2	TX2525SS



Torx® Impact Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
T10	75	7.2	TX1075SS		
T15	50	7.2	TX1550SS		CTX1550SS
T20	50	7.2	TX2050SS	TX2050SSH	CTX2050SS
	75	7.2	TX2075SS		
T25	50	7.2	TX2550SS		CTX2550SS
T30	50	7.2	TX3050SS	TX3050SSH	CTX3050SS
	75	7.2	TX3075SS		
T40	50	7.2	TX4050SS	TX4050SSH	CTX4050SS



Slotted Impact Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
SL6	25	7.2	SL625SS	SL625SSH	CSL625SS



10 PCE

THUNDER ZONE Set

DESCRIPTION	SIZE	CODE	QTY
Phillips® Power Bits	PH2 x 50	PH250SS	4
Square Power Bits	SQ2 x 50	SQ150SS	1
	SQ3 x 50	SQ250SS	1
Hex Power Bits	HEX5 x 50	HEX550SS	2
Nutsetters	5/16" x 65	NS51665SS	1
	3/8" x 65	NS3865SS	1

Code: TBS10

Adaptor



Adaptor Hex Drive to Square Drive

1/4" POWER		WRAP
Point Size	OAL mm	CODE 5 PCE
1/4" to 1/4"	75	ADP14-75SS
1/4" to 1/2"	65	ADP12-65SS*
	70	ADP12-70SS
3/8"	65	ADP38-65SS
	75	ADP38-75SS*

Nutsetter ISO 2936




1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 5 PCE	CODE 1 PCE
1/4"	42	11	NS1442SS	NS1442SSH	CNS1442SS
	65	11	NS1465SS	NS1465SSH	CNS1465SS
5/16"	42	13	NS51642SS	NS51642SSH	CNS51642SS
	65	13	NS51665SS	NS51665SSH	CNS51665SS
	100	13	NS516100SS		
	150	13	NS516150SS		
3/8"	42	14.6	NS3842SS	NS3842SSH	CNS3842SS
	65	14.6	NS3865SS	NS3865SSH	CNS3865SS

Bit Holders



Magnetic Bit Holder Impact Bit

1/4" POWER			WRAP	CARD
Point Size	OAL mm	Body ø mm	CODE 5 PCE	CODE 1 PCE
1/4"	75	11	MBHC75SS	CMBHC75SS
	150	11	MBHC150SS	CMBHC150SS



Magnetic Bit Holder - Spring Loaded Quick Release

1/4" POWER			WRAP	CARD
Point Size	OAL mm	Body ø mm	CODE 5 PCE	CODE 1 PCE
1/4"	75	13.6	MBHQR75SS	CMBHQR75SS



Click or Scan & See



Driver Bit Sets | PG 306



Click or Scan | Pack Sizes

ISO 8764




Phillips® Insert Bit

1/4" INSERT			WRAP	HANDI PK		CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE PCE		CODE 2 PCE
PH0	25	4.5	PH025S			
PH1	25	4.5	PH125S			CPH125S
PH2	25	6.0	PH225S	PH225SH	10	CPH225S
	30	6.0	PH230S			
	38	6.0	PH238S			
PH3	25	6.0	PH325S	PH325SH	10	CPH325S
PH4	25	6.0	PH425S			
PH2	25	6.0		PH225SHXL 20		
	25	6.0		PH225SHXXL 100		



Phillips® Drywall Insert Bit

 1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE PCE	CODE 2 PCE
PH2	25	14	PH225DW	PH225DWH	CPH225DW



5/16" IMPACT Phillips® Insert Bit

 5/16" IMPACT			WRAP
Point Size	OAL mm	Body mm	CODE 10 PCE
PH1	32	8.0	PH132I
PH2	32	8.0	PH232I
	76	8.0	PH276I
PH3	32	8.0	PH332I
	76	8.0	PH376I
PH4	32	8.0	PH432I
	76	8.0	PH476I



Phillips® Power Bit

 ¼" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
PH0	75	4.5	PH075S		
PH1	50	4.5	PH150S	PH150SH	CPH150S
	75	4.5	PH175S		
	92	4.5	PH192S		
	100	4.5	PH1100S		
	150	4.5	PH1150S		
PH2	50	6.0	PH250S	PH250SH	CPH250S
	65	6.0	PH265S	PH265SH	
	75	6.0	PH275S	PH275SH	CPH275S
	92	6.0	PH292S	PH292SH	CPH292S
	100	6.0	PH2100S	PH2100SH	CPH2100S
	150	6.0	PH2150S	PH2150SH	CPH2150S
	200	6.0	PH2200S		CPH2200S
	250	6.0	PH2250S		CPH2250S
PH3	50	6.0	PH350S	PH350SH	CPH350S
	75	6.0	PH375S		
	100	6.0	PH3100S		
	150	6.0	PH3150S		



Phillips® Autofeed Screwdriver Bit

1/4" POWER	Suits			CARD
Point Size	OAL mm	Body mm		CODE 4 PCE
PH2	116	4.75	Hilti SMD57	CPH2116S
	117	4.75	Makita 6831	CPH2117S
	132	5.00	Makita DFR450 Makita 6835D, 6833 & 6836	CPH2132S
	146	5.00	Makita 6834	CPH2146S
	152	4.75	Makita 240 Volt Hitachi W4YE & W4YF	CPH2152S
	157	5.00	Makita BFR550	CPH2157S*
	164	5.00	Makita 6842 & 6843 Makita BFR540R & BFR550R	CPH2164S*



Ribbed Phillips® Insert Bit

 1/4" INSERT	WRAP		HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 2 PCE
PH1	25	4.0	PH125SR	
PH2	25	6.0	PH225SR	CPH225SR


Ribbed Phillips® Power Bit

 1/4" POWER	WRAP		HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 1 PCE
PH2	50	6.0	PH250SR	PH250SRH
	75	6.0	PH275SR	PH275SRH
	100	6.0	PH2100SR	PH2100SRH
	150	6.0	PH2150SR	
PH3	50	6.0	PH350SR	



Reduced Head Phillips® Insert Bit

 1/4" INSERT	WRAP		HANDI PK
Point Size	OAL mm	Body mm	CODE 10 PCE
PH R2	25	5.0	PHR225S



Double Ended Phillips® Power Bit

 1/4" POWER	WRAP		HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 1 PCE
PH1 + PH1	45	7.2	PH145D	
	75	7.2	PH175D	
PH2 + PH2	45	7.2	PH245D	PH245DH
	65	7.2	PH265D	PH265DH
	75	7.2	PH275D	PH275DH
	100	7.2	PH2100D	PH2100DH
	150	7.2	PH2150D	PH2150DH
	200	7.2	PH2200D	
	300	7.2	PH2300D	
PH3 + PH3	45	7.2	PH365D	
	75	7.2	PH375D	
PH1 + SL4	45	7.2	PH1SL445D	
PH2 + SL5	75	7.2		CPH2SL545D
PH2 + SL6	45	7.2	PH2SL645D	
PH2 + SL8	65	7.2	PH2SL860D	
PH2 + SQ2	50	10.0	PH2SQ250D	
	89	10.0	PH2SQ289D	

Reduced Head Phillips® Power Bit

 1/4" POWER	WRAP	
Point Size	OAL mm	Body mm
PH R2	50	5.0
	89	5.0



Click or Scan & See



Driver Bit Sets | PG 318



Click or Scan | Pack Sizes

Pozidriv®

ISO 8764

Overall Length (OAL)

Overall Length (OAL)

Pozidriv® Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE PCE	CODE 2 PCE
PZ1	25	4.5			CPZ125S
PZ2	25	6.0	PZ225S	PZ225SH 10	CPZ225S
	25	6.0		PZ225SHXXL 100	
PZ3	25	6.0	PZ325S		CPZ325S
PZ4	32	6.0	PZ432S		

Overall Length (OAL)

Double Ended Pozidriv® Power Bit

1/4" POWER			WRAP	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 1 PCE
PZ2 + PZ2	45	7.2	PZ245D	CPZ245D
	65	7.2	PZ265D	
	75	7.2	PZ275D	
PZ2 + SQ2	50	7.2	PZ2SQ250D	

REDUCED HEAD
for poorly stamped screws

Pozidriv® Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
PZ1	50	4.5	PZ150S		CPZ150S
	75	4.5	PZ175S		
	150	4.5	PZ1150S		
PZ2	50	6.0	PZ250S	PZ250SH	CPZ250S
	75	6.0	PZ275S		
	89	6.0	PZ289S		
	120	6.0	PZ2120S		
	150	6.0	PZ2150S		CPZ2150S
PZ3	50	6.0	PZ350S		CPZ350S
	75	6.0	PZ375S		
	89	6.0	PZ389S		

Overall Length (OAL)

5/16" IMPACT Pozidriv® Insert Bit

5/16" IMPACT			WRAP
Point Size	OAL mm	Body mm	CODE 10 PCE
PZ1	32	8.0	PZ132I
PZ2	32	8.0	PZ232I
	76	8.0	PZ276I

Pozidriv® Reduced Head Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Body mm	CODE 10 PCE
PZ R1	25	4.0	PZR125S

1/4" POWER			WRAP
Point Size	OAL mm	Body mm	CODE 10 PCE
PZ R2	75	4.0	PZR275S

RIBBED DESIGN
prevents cam-out

Pozidriv® Ribbed Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Body mm	CODE 10 PCE
PZ1	25	4.0	PZ225SR

1/4" POWER			WRAP
Point Size	OAL mm	Body mm	CODE 10 PCE
PZ2	50	6.0	PZ250SR

Square



Square Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
SQ0	25	5.0	SQ025S		
SQ1	25	5.0	SQ125S		CSQ125S
SQ2	25	6.0	SQ225S	SQ225SH	CSQ225S
SQ3	25	6.0	SQ325S		CSQ325S



Double Ended Square Power Bit

1/4" POWER			WRAP
Point Size	OAL mm	Body ø mm	CODE 10 PCE
SQ2 + SQ2	45	7.2	SQ245D
SQ2 + PH2	50	7.2	PH2SQ250D
	89	7.2	PH2SQ289D
SQ2 + PZ2	50	7.2	PZ2SQ250D

Square Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body ø mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
SQ0	50	5.0	SQ050S		
	89	5.0	SQ089S		
SQ1	50	5.0	SQ150S	SQ150SH	CSQ150S
	75	5.0	SQ175S		
	90	5.0	SQ190S		
	100	5.0	SQ1100S		
	150	5.0	SQ1150S		
SQ2	50	6.0	SQ250S	SQ250SH	CSQ250S
	75	6.0	SQ275S	SQ275SH	CSQ275S
	90	6.0	SQ290S		
	100	6.0	SQ2100S	SQ2100SH	CSQ2100S
	132	6.0			CSQ2132S*
	150	6.0	SQ2150S	SQ2150SH	CSQ2150S
SQ3	50	6.0	SQ350S	SQ350SH	CSQ350S
	75	6.0	SQ375S		
	100	6.0	SQ3100S		
	150	6.0	SQ3150S		

Square Security



Post Hole Square Security

1/4" POWER			WRAP
Point Size	OAL mm	Body ø mm	CODE 10 PCE
SQ2	50	6.0	SQSE250S

Click or Scan & See | 

Driver Bit Sets | PG 318



Click or Scan | Pack Sizes

⊖ Slotted ISO 2380



Slotted Insert Bit

1/4" INSERT			WRAP	CARD
Point Size	OAL mm	Screw mm	CODE 10 PCE	CODE 2 PCE
SL4	25	3 - 4	SL425S	CSL425S
SL5	25	5 - 6	SL525S	CSL525S
SL6	25	6 - 10	SL625S	CSL625S
SL10	25	14 - 16	SL1025S	

Double Ended Slotted Power Bit

1/4" POWER			WRAP	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 1 PCE
SL5 + SL7	100	5 - 12	SL5SL7100D	
PH1 + SL4	45	3 - 4	PH1SL445D	
PH2 + SL5	45	5 - 6		CPH2SL545D
PH2 + SL6	45	6 - 10	PH2SL645D	
PH2 + SL8	60	12 - 14	PH2SL860D	



Slotted Insert Bit

1/4" POWER			WRAP	CARD
Point Size	OAL mm	Screw mm	CODE 10 PCE	CODE 1 PCE
SL3	50	1 - 2	SL350S	CSL350S
	70	1 - 2	SL370S	
SL4	50	3 - 4	SL450S	CSL450S
SL5	50	5 - 6	SL550S	CSL550S
	75	5 - 6	SL575S	
SL6	50	6 - 10	SL650S	CSL650S
SL8	50	12 - 14	SL850S	CSL850S

5/16" IMPACT Slotted Insert Bit

5/16" IMPACT			WRAP
Point Size	OAL mm	Screw mm	CODE 10 PCE
SL8	32	12 - 14	SL832I
SL10	36	14 - 16	SL1036I
SL12	36	16 - 18	SL1236I

CARD
Supplied in
hangable card



WRAP
Perfect for
bulk storage



HANDI PACK

Supplied in hangable
plastic pack





Hex Insert Bit

1/4" INSERT			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 10 PCE	CODE 2 PCE
HEX2	25	7.2	HEX225S		
HEX2.5	25	7.2	HEX2525S		
HEX3	30	7.2	HEX330S		
HEX4	30	7.2	HEX430S		
HEX5	25	7.2			CHEX525S
HEX5	30	7.2	HEX530S	HEX530SH	
HEX6	32	7.2	HEX632S		
HEX8	32	9.0	HEX832S		
HEX10	32	11.3	HEX1032S		
HEX 1/8"	25	7.2	HEX1825S		



Hex Power Bit

1/4" POWER			WRAP	HANDI PK	CARD
Point Size	OAL mm	Body mm	CODE 10 PCE	CODE 10 PCE	CODE 1 PCE
HEX2.5	50	7.2	HEX2550S		
HEX3	50	7.2	HEX350S		
HEX4	50	7.2	HEX450S		
HEX5	50	7.2	HEX550S	HEX550SH	CHEX550S
	75	7.2	HEX575S		CHEX575S
	100	7.2	HEX5100S		CHEX5100S
	150	7.2	HEX5150S		
HEX8	65	8.0	HEX865S		



Ball End Hex Bit

1/4" POWER			HANDI PK
Point Size	OAL mm	Body mm	CODE 10 PCE
HEX5	50	7.2	HEX5BE50H
	150	7.2	HEX5BE150H
HEX6	50	7.2	HEX6BE50H
	150	7.2	HEX6BE150H

Hex Security

Hex Security
1/4" Insert Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Body mm	CODE 10 PCE
2.0	25	7.2	HEXSE225"
2.5	25	7.2	HEXSE2525
3.0	25	7.2	HEXSE325
4.0	25	7.2	HEXSE425
5.0	25	7.2	HEXSE525
6.0	25	7.2	HEXSE625
3/32"	32	7.2	HEXSE332
1/8"	32	7.2	HEXSE18
5/32"	32	7.2	HEXSE532
3/16"	32	7.2	HEXSE316
7/32"	32	7.2	HEXSE732



Click or Scan & See



Driver Bit Sets | PG 318



Click or Scan | Pack Sizes




Torx® Insert Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Point ø mm	CODE 10 PCE
T8	25	2.2	TX825S
T10	25	2.7	TX1025S
T15	25	3.3	TX1525S
T20	25	3.8	TX2025S
T25	25	4.4	TX2525S
T27	25	5.0	TX2725S
T30	25	5.5	TX3025S
	25		TX30W
T40	25	6.6	TX4025S



Torx® Power Bit

1/4" POWER			WRAP	HANDI PK
Point Size	OAL mm	Point ø mm	CODE 10 PCE	CODE 10 PCE
T10	75	2.7	TX1075S	
T15	50	3.3	TX1550S	
T20	50	3.8	TX2050S	TX2050SSH
	75	3.8	TX2075S	
T25	50	4.4	TX2550S	
T30	50	5.5	TX3050S	TX3050SSH
	75	5.5	TX3075S	
	100	5.5	TX30100S	
T40	50	6.6	TX4050S	TX4050SSH



Torx® Key

			WRAP
Point Size	OAL mm	Point ø mm	CODE 10 PCE
T8	51	2.2	ALKTX8
T10	51	2.7	ALKTX10
T15	58	3.3	ALKTX15
T20	74	3.8	ALKTX20
T25	74	4.4	ALKTX25
T40	86	6.6	ALKTX40
T45	86	7.9	ALKTX45
T50	105	8.7	ALKTX50
T55	115	10.8	ALKTX55

Pin Security



Pin Security Insert Bit

1/4" INSERT				WRAP
Point Size	OAL mm	Point ø mm	Body ø mm	CODE 10 PCE
PIN4	32	3.6	7.2	PIN432S
PIN6	32	4	7.2	PIN632S
PIN8	32	5.3	7.2	PIN832S
PIN10	25	6.1	7.2	PIN1025S
PIN12	25	7.2	7.2	PIN1225S
PIN14	32	8	7.2	PIN1432S



Click or Scan & See | ▶




Driver Bit Sets | PG 318



Click or Scan | Pack Sizes

Torx® Security



Torx® Security Insert Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Point ø mm	CODE 10 PCE
T8	25	2.2	TXSE825
T10	25	2.7	TXSE1025
T15	25	3.3	TXSE1525
T20	25	3.8	TXSE2025
T25	25	4.4	TXSE2525
T27	25	5.0	TXSE2725
T30	25	5.5	TXSE3025
T40	25	6.6	TXSE4025
T45	25	7.9	TXSE4525
T50	25	8.7	TXSE5025
5T30	25	5.5	5TXSE3025

Torx® Security Power Bit

1/4" POWER			WRAP
Point Size	OAL mm	Point ø mm	CODE 10 PCE
T10	75	2.7	TXSE1075S



Torx® Key

			WRAP
Point Size	OAL mm	Point ø mm	CODE 10 PCE
T25	74	4.4	ALKTXSE25
T27	74	5.0	ALKTXSE27
T30	74	5.5	ALKTXSE30
T45	86	7.9	ALKTXSE45

Tri-Lobular



Tri-Lobular Insert Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Point ø mm	CODE 10 PCE
TRILOB	25	4	TRI-LOB



Tri-Lobular Insert Bit

1/4" POWER			WRAP
Point Size	OAL mm	Point ø mm	CODE 10 PCE
TRILOB	100	6	TRILOB100

Tri-Wing®



Tri-Wing® Insert Bit

1/4" INSERT			WRAP
Point Size	OAL mm	Body ø mm	CODE 10 PCE
1	25	4.4	TRI125S
3	25	4.6	TRI325S
4	25	5.7	TRI425S
5	25	6.3	TRI525S

Nutsetter

1830
223365



1/4" POWER			HANDPACK	HAWRAP	COARD
Point Size	OAL mm	Max Ø mm	CODE PRICE	CODE PRICE	CODE PRICE
7.0	65	11.9	NS765	NS765	
8.0	65	12.7	NS865	NS865	
10.0	65	14.9	NS1065	NS1065	
12.0	55	17.1	NS1255	NS1255	
13.0	55	18.9	NS1355	NS1355	
1/4"	42	11.1	NS1442H	NS1442	CON51442
	65	11.1	NS1465H	NS1465	CON51465
	110	11.1	NS14100	NS14100	
5/16"	42	12.8	NS51642H	NS51642	CON551642
	65	12.8	NS51665H	NS51665	CON551665
	110	12.8	NS516100	NS516100	
	150	12.8	NS516150	NS516150	CON5516150
	200	12.8	NS516200	NS516200	CON5516200
	300	12.8	NS516300	NS516300	
3/8"	42	14.6	NS3842H	NS3842	CON3842
	65	14.6	NS3865H	NS3865	CON3865
	115	14.6	NS38150	NS38150	CON38150
7/16"	65	15.6	NS71665	NS71665	
9/16"	65	20.1	NS91665	NS91665	

Adaptor



Adaptor Hex Drive to Square Drive

1/4" POWER			WRAP
Point Size	OAL mm	Male inches	CODE PRICE
1/4"	225	1/4"	AADP1425 10 5
	655	1/4"	AADP1465 5 5
	755	1/4"	AADP1475 5 5
	1000	1/4"	AADP14100 5
	1550	1/4"	AADP14150 5
	755	3/8"	AADP3875 5 5
	700	1/2"	AADP2170 5 5

Magnetic Socket



Magnetic Socket Square to Hex

1/4" POWER			WRAP
Point Size	OAL mm	Body Ø mm	CODE PRICE
1/4" to 5.5	22	110.0	MS5522*
1/4" to 8.0	25.4	112.7	MS825*
3/8" to 5/16"	32.0	113	MS51638*



33 PRICE Hex to Square Adaptor Set Imperial

Size: 1/4, 3/8 & 1/2"

Code: 212191

Bit Holder



TWO PIECE

Magnetic Bit Holder with C Ring

1/4" POWER			WRAP		CARD
Point Size	OAL mm	Body mm	CODE PCE		CODE 1 PCE
1/4"	54	11	MBHC54	10	
	75	11	MBHC75	10	CMBHC75
	150	11	MBHC150	10	
	300	11	MBHC300	1	



ONE PIECE

Magnetic Bit Holder with C Ring

HEAVY DUTY
1 piece
Stainless Steel

1/4" POWER			WRAP		CARD
Point Size	OAL mm	Body mm	CODE PCE		CODE 1 PCE
1/4"	54	11.2	MBHCS54	10	CMBHCS54
	75	11.2	MBHCS75	10	CMBHCS75
	75	10.4	MBHCS75R	1	



TWO PIECE

Square to Hex Bit Holder with C Ring

			WRAP	
Size	OAL mm	Body mm	CODE PCE	
3/8"	38	19	BH38-14	10
1/2"	45	25	BH12-14	10



Professional Magnetic Bit Holder Spring Loaded Quick Release

1/4" POWER			CARD
Size	OAL mm	Body mm	CODE 1 PCE
1/4"	65	16	CMBHQR65
	150	16	CMBHQR150

4-in-1 Insulated Screwdriver Handle




HEAVY DUTY
& light weight



Shock-proof 2000 volts UL tested
4 Insert bits included:

- ⊕ 2 x Phillips® - PH1 & PH2
- ⊖ 2 x Slotted - SL5 & SL6

Code: 68888*





100 PCE Security Bit Set


Moulded Plastic Box
1/4" Hex Drive Assorted
Security & Driver Bits

Code: EW-100

CONTAINS:




Phillips®




Square




Clutch




Pozidrive®




Tri-Wing®




Spline



Slotted



Pin Security



Torq-set®





Torx®



Torx® Security



Hex



1 x 1/4" Sq. x 1/4" Hex x 1" Ext.

1 x 1/4" Sq. x 1/4" Hex x 2" Ext.

1 x Magnetic Bit Holder

1 x Socket Bit Holder

1 x Wing Nut Driver



Hex Security





33 PCE Security Bit Set

Moulded Plastic Case
1/4" Hex Drive Assorted
Security & Driver Bits
Card

Code: 42133

CONTAINS:



Phillips®



PH0 PH1 PH2 PH3



Hex



HEX2 HEX2.5 HEX3 HEX4 HEX5 HEX6



CONTAINS:

1 x Bit Holder and
32 x Insert bits:

- ⊕ 4 x Phillips®
- ⊗ 6 x Hex Security (metric)
- ⊗ 6 x Hex Security (imperial)
- ⊖ 4 x Pin Security
- ⊗ 9 x Torx® Security
- ⊕ 3 x Torq-set®



Pin Security



PIN4 PIN6 PIN8 PIN10



HEX $\frac{5}{64}$ HEX $\frac{3}{32}$ HEX $\frac{7}{64}$ HEX $\frac{1}{8}$ HEX $\frac{9}{64}$ HEX $\frac{5}{32}$



Torx® Security



T8 T10 T15 T20 T25 T27 T30 T35 T40



Torq-set®



TQ6 TQ8 TQ10



5 PCE Security Bit Set

CONTAINS:
5 x Insert Bits:

- 1 x TX2025S
- 1 x HEX530S
- 1 x TX1025S
- 1 x TX2525S
- 1 x HEX632S

Code: TXHEXSET5



**EXTRA
LONG**

**BLACK
OXIDE
FINISH**

NEW

Hex Key Sets

- Hex key set quickly tightens or loosens fasteners
- Small & common metric and / or imperial sizes are included
- Labelled holder firmly holds each key in a sized-marked hole allowing for convenient storage & selection
- Made of Chrome-Vanadium Steel for rugged strength; black oxide finish for protection against corrosion; sand blasted for a smooth surface
- Ball-end design allows entry angle of up to 25° for easily reaching around obstructions
- Meets or exceeds all applicable standards



9 PCE Metric

Contains:

1.5, 2.0, 2.5, 3.0, 4.0, 5.0,
6.0, 8.0 & 10.0mm

Code: HEXKS9M



13 PCE Imperial

Contains:

0.05", 1/16", 5/64", 3/32",
7/64", 1/8", 9/64", 5/32", 3/16",
7/32", 1/4", 5/16" & 3/8"

Code: HEXKS13I



22 PCE Metric & Imperial

Contains:

Metric – 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 & 10.0mm
Imperial – 0.05", 1/16", 5/64", 3/32", 7/64", 1/8",
9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

Code: HEXKSCOMBO



Click or Scan & See | ▶



Click or Scan | **Pack Sizes**

PRO>DRIVE

Angled Drive Attachment

Work smarter with the Alpha Pro Drive angled driver attachment.
Designed for maximum access in tight areas,
Pro Drive accommodates up to 36 different positions.



36 POSITIONS allows
MAXIMUM ACCESS
in tight areas

ULTIMATE RPM
up to 20,000



**105°
ANGLED
HEAD**
for greater
ease of use

**HEAD
ROTATES
360°**


**HIGH SPEED
BEARINGS**
suits power
& air tools

**1/4" QUICK
CHANGE**


Suits a wide variety of 1/4" hex accessories




Driver bits



Nutsetters




Hex shank drills



Spade bits



Extension bars



Step drills




6 sets per counter display

Code: MBHAD-1

- High speed industrial bearings make the attachment suitable for power & air drills, up to 20,000 RPM
- Heavy duty metal housing & steel gears for extended life
- 105° angled head for a more ergonomic user experience
- Compact head design measures in at just 58mm, allowing maximum access in tight areas
- Pull & twist collar rotates to 36 stabilizer arm positions
- 360° rotatable arm locks into position at 0°, 45° & 90°
- Quick release chuck allows fast attachment change over

Suits: power & air drills



12 collar positions
Collar rotates 360°
in 30° increments

**Stabilizer arm
with 3 positions**

DRIVER BITS