SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

Product Identifier: MOREY'S CRYSTAL BLUE FOOD MACHINERY GREASE EP2

Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Refer to Technical Data Sheet

Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC (AUST) PTY LTD 2/50 SUCCESS STREET, ACACIA RIDGE

QLD 4110, AUSTRALIA

Phone number: 7 321 66000 Website: www.moreyoil.com.au Email: info@moreyoil.com.au

Emergency telephone number: 1 800 637173

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Not Classified

Label Elements:

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

Not Classified

HMIS	Health:	0	NFPA	Health:	0
	Fire:	1		Fire:	1
	Physical: Hazards:	0		Reactivity:	0
	PPE:	С		Special Haza	rds:

Other Hazards:

This product contains no PBT/vPvB chemicals.

Not classified as hazardous according to the criteria of NOHSC Australia.

Not defined as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by road or rail.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS			
CAS Number	%	Name	EC No. 1272/2008 GHS Classification
0068037-01-4	<60	1-Decene, homopolymer, hydrogenated	Not Classified
0009003-29-6	<30	Polybutene	Not Classified
0068611-44-9	<20	Silane treated silica	Not Classifed
0000064-17-5	<3	Ethanol	Flam. Liq. 2;H225
0009003-27-4	<3	Polyisobutylene	Not Classified

^{*} The full texts of the phrases are shown in Section 16.

SECTION 4	FIRST AID MEASURES
General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation:	If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.
Skin:	In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.
Eye:	In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15

minutes. Remove contact lenses if present and continue rinsing. Seek medical attention

immediately.

Ingestion: Do not induce vomiting. Call a doctor or emergency medical facility immediately.

Most important symptoms and effects, both acute and delayed.

No data available

Indication of any immediate medical attention and special treatment needed: No data available

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing media: Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

Special hazards arising from the substance or mixture:

Hazardous decomposition products. May form CO and CO2.

Advice for fire-fighters: Self-contained full-face positive pressure breathing apparatus (SCBA) should be used.

Water can be used to cool and protect exposed material. Do not allow runoff water and

contaminants from firefighting to enter drains or water courses.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

Environmental precautions: Prevent entry into sewers and waterways. Report spills as required to appropriate

authorities in accordance with all applicable regulations.

Methods and material for containment and cleaning up:

Ventilate the area and avoid breathing vapours. Take the personal protective measures

listed in section 8.

Contain and absorb spillage with non-combustible materials. Place in closed containers outside buildings and dispose of according to the Waste Regulations. See section 13.

Clean preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes, the Environmental

Protection Authority should also be informed.

Dispose of in accordance with local environmental regulations.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling:

Handling: Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour.

Use with adequate ventilation.

In storage: Store in a dry location at room temperature. Keep this container and vapours from the

container away from heat and flame.

Keep container closed and maintain all original markings and labels.

Conditions for safe storage

including any incompatibilities: Keep away from strong oxidizing and reducing agents.

CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapours. Always obey hazard warnings and handle empty containers as if they were

full.

Specific end use(s): There are no exposure scenarios, see details in section 1.

SECTION 8 EXPOSURE CONTROLS - PERSONAL PROTECTION

Control parameters:

The following occupational exposure limits have been established.

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)
		ACGIH	1000 ppm STEL
		NIOSH	TWA 1000 ppm (1900 mg/m3)
0009003-27-4	Polyisobutylene	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0009003-29-6	Polybutene	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0068037-01-4	1-Decene, homopolymer	OSHA	No established limit
	hydrogenated	ACGIH	No established limit
		NIOSH	No established limit
0068611-44-9	Silane treated silica	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

Carcinogen data:

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000064-17-5	Ethanol	OSHA	Select Carcinogen: No
		IARC	Group 1: Yes; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0009003-27-4	Polyisobutylene	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0009003-29-6	Polybutene	OSHA	Select Carcinogen: No
	•	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0068037-01-4	1-Decene, homopolymer,	OSHA	Select Carcinogen: No
	hydrogenated	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0068611-44-9	Silane treated silica	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No: Group 4: No:

DNEL/PNEC values: No data available

Exposure controls: No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/face protection: Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face

shield.

Skin protection: Wear chemical resistant gloves. Gloves should be inspected before each use and discarded

if they show tears, pinholes or signs of wear.

Other: Gloves, overalls, apron, boots, or other suitable protective garments should be worn to

minimize contact based on the task being performed.

Respiratory protection: Use NIOSH/OSHA approved respirator where high vapour concentrations are present.

Thermal hazards: No data available.

PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9**

BLUE GREASE Appearance: Odour: Petroleum odour Odour threshold: Not determined

Melting point/freezing point (C): Not determined Flash point (C): > 200

Flammability (solid, gas): Not applicable Vapour pressure (Pa): Not determined

Initial boiling point and boiling range (C): Not measured Evaporation rate (H20 = 1): Relative density:

Not determined 0.9615

Not measured

Vapour density:

Heavier than air

Solubility(ies): negligible Auto-ignition temperature (C): Not determined Not determined **Decomposition temperature:** Pour point temperature (C): Not determined **Volatile Organic Compounds:** nil SADT: Not determined Not measured

Viscosity (cSt) @ 100 C: Not measured Viscosity (cSt) @ 40 C:

Upper/lower flammability or explosive limits **Lower Explosive Limit:** Not determined

Upper Explosive Limit: Not determined

Partition coefficient n-octanol/water (Log Kow): Not determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

Other information:

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10 STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Material is normally stable at ambient temperature and pressure.

Possibility of hazardous reactions: May react with oxidising agents

Conditions to avoid: High temperature, sparks and open flames.

Incompatible materials: Keep away from strong oxidising and reducing agents.

Hazardous decomposition products: May form CO and CO2.

TOXICOLOGICAL INFORMATION SECTION 11

Acute toxicity

Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may causes irritation and soreness with possible reversible damage.

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LD50, mg/L/4hr
>5,000, Rat	>2,000, Rabbit	Not Available
1,501.00, Rat	Not Available	124.70, Rat
34,600.00, Rat	10,250.00, Rabbit	Not Available
Not Available	Not Available	Not Available
Not Available	Not Available	Not Available
Category Not classified	Hazard Description Not applicable Not applicable Not applicable Not application Not applicable Not applicable Not applicable Not applicable Not applicable	
	mg/kg >5,000, Rat 1,501.00, Rat 34,600.00, Rat Not Available Not Available Category Not classified	mg/kg >5,000, Rat 1,501.00, Rat Not Available 34,600.00, Rat Not Available Not Available Not Available Not Available Not Available Not Available Not classified Not applicable Not applicable

CarcinogenicityNot classifiedNot applicableReproductive toxicityNot classifiedNot applicableSTOT – single exposureNot classifiedNot applicableSTOT – repeated exposureNot classifiedNot applicableAspiration hazardNot classifiedNot applicable

SECTION 12 ECOLOGICAL INFORMATION

Toxicity:

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

Aquatic Ecotoxicity:

Ingredient 96 hr LC50 fish, 48 hr EC50 crustacea, ErC50 algae, mg/l mg/l mg/l 1-Decene, homopolymer hydrogenated - (0068037-01-4) Not Available Not Available Not Available Polybutene - (0009003-29-6) Not Available Not Available Not Available Silane treated silica -10,000.00, Danio 10,000.00 Daphnia 10,000.00 (72 hr) (0068611-44-9)Scenedesmus subspicatus rerio magna Ethanol - (0000064-17-5) 42.00, Oncorhynchus 2.00, Daphnia 17.921 (96 hr), Ulva pertusa mykiss magna Not Available Not Available Not Available Polyisobutylene - (0009003-27-4)

Persistence and degradability: There is no data available on the preparation itself.

Bioaccumulative potential:Mobility in soil:
Not measured
No data available

Results of PBT and vPvB assessment: This product contains no PBT/vPvB chemicals

Other adverse effects: No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods: Consult federal, state and local regulations regarding disposal methods. Recycle used oil.

Do not contaminate used oil with solvents or other chemicals.

SECTION 14 TRANSPORTATION INFORMATION

UN Number: UN proper shipping name:Not applicable
Not regulated

Transport hazard class(es):

US DOT Label Not regulated ADR/RID Not regulated IMDG Not regulated Sub class Not applicable

Environmental hazards:

Packing group:

ADR/RID Environmentally Hazardous: No – Not regulated

Not applicable

IMDG Marine Pollutant: No – Not regulated

Special precautions for user: No further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15

REGULATORY INFORMATION

National Legislation:

United States:

The regulatory data in Section 15 is not intended to be all inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA 311/312 (>0.1%): Not applicable SARA 313 (>0.1%): Not applicable

CERCLA (>0.1%):

Inventory - Canada - Non - Domestic Substances List (NDSL):

Octadecenamide, N-[2-[(2-hydroxyethyl)amino]ethyl]-, monoacetate (salt)

California Proposition 65 Cancer:

Not applicable

California Proposition 65 Developmental:

4-methylpentan-2-one

Methanol

California Proposition 65 Female Reproductive:

Not applicable

California Proposition 65 Male Reproductive:

Not applicable

Inventory - Australia - Inventory of Chemical Substances (AICS):

1-Decene, homopolymer, hydrogenated

1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro-

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

Ethanol

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),-

Phosphorothioic acid, O,O,O-triphenyl ester

Polybutene

Polyisobutylene

Silane treated silica

Inventory - Japan Existing and New Chemical Substances (ENCS):

1-Decene, homopolymer, hydrogenated ()

1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (5-425; 5-3496)

Ethanol (2-202)

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),- (2-1226; 2-2679; 9-1930)

Phosphorothioic acid, O,O,O-triphenyl ester (3-3370)

Polybutene (6-774)

Polyisobutylene (5-774; 6-774)

Korean Existing Chemicals Inventory:

1-Decene, homopolymer, hydrogenated

1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro-

Ethanol

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),-

Phosphorothioic acid, O,O,O-triphenyl ester

Polybutene

Polyisobutylene

Inventory of Existing Chemicals Substances in China:

1-Decene, homopolymer, hydrogenated

Polybutene

Polyisobutylene

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

1-Decene, homopolymer, hydrogenated
1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydroAmines, C11-14-branched alkyl, monohexyl and dihexyl phosphates
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene
Ethanol
Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),Phosphorothioic acid, O,O,O-triphenyl ester
Polybutene
Polyisobutylene
Silane treated silica

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS):

1-Decene, homopolymer, hydrogenated ()
1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (202-414-9)
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (279-632-6)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (270-128-1)
Ethanol (200-578-6)
Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),- (203-749-3)
Phosphorothioic acid, O,O,O-triphenyl ester (209-909-9)
Polybutene ()
Polyisobutylene ()
Silane treated silica (271-893-4)

EU List of Notified Chemical Substances (ELINCS): Not applicable

Risk Phrases: Not Classified

SECTION 16

OTHER INFORMATION

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapour H304 May be fatal if swallowed and enters airways

This is the first revision of this SDS Format, changes from previous revision not applicable.

End of document