Seagull Oil Seals | Metric Series Size Table

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	48	80	13		TC	50	70	9	
TCx3	48	80	14		TB	50	70	9	
TC	48	80	14.5		SB	50	70	9	
TCx35Y	48	80	14.5		TCx3	50	70	9	
TBY	48	80	6-16		TC	50	70	10	
TC	48	82	11		SC	50	70	10	
HTBR	48	82	12		TB	50	70	10	
TC	48	85	8		HTCR	50	70	10	
TCY	48	103	11.5-19.5		TC	50	70	11	
SCY	49	100	8		HTCR	50	70	11	
VB	50	58	4		TC	50	70	12	
GA(VB)	50	60	5-7		TB	50	70	12	
GA(VB)	50	60	7-10		TC	50	72	7	
SB	50	60	10		TC	50	72	8	
TC	50	62	7		SC	50	72	8	
TC	50	62	8		TC	50	72	9	
KBY	50	62	7-10		TC	50	72	10	
TB	50	62	9		SC	50	72	10	
TC	50	62	10		SAx2	50	72	10	
SC	50	62	10		TC	50	72	12	
SB	50	63	6		TB	50	72	12	
KB	50	63	6		TCx3	50	72	12	
VB	50	65	7-10		HTBR	50	72	12	
TC	50	65	8		SAx2	50	72	12	
SC	50	65	8		TCx35Y	50	72	14.5-5	
TC	50	65	9		SB	50	72	15	
SC	50	65	9		DCx4Y	50	72-83.5	12	
SB	50	65	9		TAx2	50	73	9	
TC	50	65	10		TC	50	74	10	
SC	50	65	10		TC	50	75	6	
TB	50	65	10		TC	50	75	10	
TC	50	67	9		TC	50	75	12	
SC	50	67	9		SB	50	75	12	
TCx3	50	67	9		TB	50	75	13	
TC	50	67	10		TC	50	76	12	
TC	50	68	8		SC	50	78	8	
SC	50	68	8		TC	50	78	10	
SB	50	68	8		TC	50	78	12	
TC	50	68	9		TC	50	78	13	
SB	50	68	9		TC	50	80	8	
TCx3	50	68	9		SC	50	80	8	
TAx2	50	68	9		TC	50	80	10	
HTCx3	50	68	9		SC	50	80	10	
TC	50	68	10		SB	50	80	12	
SC	50	68	10		TC	50	80	13	
FCTY	50	68-75	11-19.5		SC	50	80	13	
SB	50	68	12.5		TB	50	80	13	
TC	50	68	14		TC	50	82	8	
FCTY	50	68	14.3		TC	50	82	12	
TC	50	69	10		HTCR	50	82	12	
TAY	50	70	7-9.5		TC	50	85	8	
TAx2	50	70	7.5-10		TC	50	85	10	
TC	50	70	8		TC	50	85	12	
SC	50	70	8		TC	50	85	13	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Metric Series Size Table

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	50	90	5		HTBR	52	84	14	
TC	50	90	8		TC	52	85	10	
SC	50	90	8		TC	52	85	13	
TC	50	90	10		HTBR	52	85	14	
SC	50	90	10		TC	52	90	10	
VB	50	90	10		VB	52	90	10	
TC	50	90	12		TC	52	90	13	
TC	50	90	13		TCx35Y	52	100	15	
SC	50	90	13		TB	53	65	9	
TB	50	90	13		TC	53	68	10	
TCY	50	90	15		SC	53	68	13	
TC	50	95	13		TC	53	72	11	
SCY	50	106	11		TC	54	65	13	
TC	50	110	10		SC	54	65	13	
TC	50.8	65	9-7		TB	54	65	13	
TB	51	65	9		TC	54	68	10	
KCY	51	65	12-13		TB	54	70	7-9.5	
HTCR	51	70	11		TC	54	70	9	
TC	51	80	8		TC	54	70	10	
VC	52	62	9		TC	54	72	10	
SBY	52	62	6-10		SC	54	72	10	
KB	52	63	6		TC	54	74	8	
TB	52	63	8		TC	54	78	12	
VC	52	65	6		TCx3	54	78	12	
TC	52	65	7		TC	54	80	7.5	
TC	52	65	9		TC	54	81	10	
TB	52	65	9		TC	54	82	10	
TC	52	68	8		TC	54	82	11	
SC	52	68	8		TC	54	82	11.45	
SC	52	68	9		SB	54	82	11.45	
TC	52	68	10		TB	54	94	12	
VB	52	68	7-13		TBY	54.1	80.11	11-14.1	
TCx3	52	68	13		TCY	55	66-72.8	17	
TC	52	69	8		TC	55	67	10	
TC	52	69	10		TC	55	68	8	
TC	52	70	8		TC	55	68	9	
TC	52	70	9		SC	55	68	9	
TB	52	70	9		TC	55	68	10	
TC	52	70	10		KBY	55	69	8-11	
TB	52	72	7.5		TC	55	70	8	
SC	52	72	8		SC	55	70	8	
TC	52	72	10		TC	55	70	10	
SC	52	72	10		SC	55	70	10	
HSCL	52	72	10		HSCL	55	70	10	
TC	52	72	12		SC	55	70	12	
SC	52	72	12		TC	55	72	7	
TB	52	73	10		TC	55	72	8	
TC	52	75	10		SC	55	72	8	
TC	52	75	12		TC	55	72	9	
SC	52	75	12		SB	55	72	9	
TB	52	75	12		TBx3	55	72	9	
TC	52	80	8		TC	55	72	10	
TC	52	80	10		SC	55	72	10	
TC	52	80	13		TC	55	72	12	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	67	82	7		TC	70	88	10	
SC	67	82	7		TC	70	88	12	
HTC	67	82	18		TB	70	88	12	
TC	67	85	10		HTCL	70	88	12	
TC	67	89	10		HTCR	70	88	12	
TB	67	89	10		TCx35Y	70	88-96	9	
TC	67	89	12.5		SC	70	90	8	
SC	67	92	12		TC	70	90	10	
SC	68	80	8		SC	70	90	10	
TC	68	82	7		TB	70	90	10	
SC	68	82	7		SAx2	70	90	10	
SC	68	82	10		HSCL	70	90	10	
TC	68	85	8		HSBL	70	90	10	
TC	68	85	10		TC	70	90	12	
TC	68	85	12		SC	70	90	12	
SC	68	85	12		HTCR	70	90	12	
HTCL	68	86	8		TC	70	90	13	
TC	68	88	9		SC	70	90	13	
TAx2	68	88	10		TB	70	90	13	
TC	68	88	11.5		TC	70	92	7	
TB	68	88	12		HTCL	70	92	8.5	
TC	68	90	10		TC	70	92	10	
SC	68	90	10		SC	70	92	10	
TB	68	90	10		TC	70	92	12	
SAx2	68	90	10		TB	70	92	12	
TC	68	90	11		TCx3	70	92	12	
TC	68	90	12		HTCx3R	70	92	12	
SC	68	90	12		HTCL	70	92	12	
TB	68	90	12		HTCx9R	70	92	10-16	
TCx3	68	90	12		TC	70	95	10	
TC	68	90	13		SC	70	95	10	
TB	68	90	13		TB	70	95	10	
SAx2	68	90	13		TC	70	95	12	
TC	68	92	12		SC	70	95	12	
TC	68	95	13		SB	70	95	12	
HTC	68	95	13		TC	70	95	13	
TC	68	100	10		SC	70	95	13	
SC	68	100	10		TB	70	95	13	
TC	68	100	13		TC	70	96	11	
TC	68	110	13		HTCL	70	96	11	
HTBx9R	68	124	11.5-27		HTCx35	70	96.5-102.5	9	
TC	69	89	13		TC	70	100	8	
TC	70	80	13		TC	70	100	10	
VC	70	81.5	6		SC	70	100	10	
KBY	70	84	8-11		TB	70	100	10	
TC	70	85	8		TC	70	100	12	
SC	70	85	8		SC	70	100	12	
TB	70	85	8		TC	70	100	13	
TC	70	85	10		TB	70	100	13	
TC	70	85	12		SAx2	70	100	13	
TB	70	85	12		TC	70	100	14	
HTCL	70	87	8.5		TCY	70	100	10-15	
TC	70	87	10		TC	70	105	10	
HTCR	70	87	10		SB	70	105	12	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Metric Series Size Table

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	70	105	13		TCY	74	143	17.5	
SC	70	105	13		SCY	74.5	99.5	8	
TB	70	105	13		KBY	75	89	8-11	
TC	70	105	15		SC	75	90	8	
TC	70	110	10		TC	75	90	10	
SC	70	110	10		SC	75	90	10	
SB	70	110	10		TC	75	90	12	
TC	70	110	12		SC	75	90	12	
SC	70	110	12		TC	75	90	13	
TC	70	110	13		SC	75	92	12	
TCY	70	111	14-20		TC	75	95	8	
TBY	70	111	14-20		TC	75	95	10	
TC	70	112	10		SC	75	95	10	
TC	70	112	12		TB	75	95	10	
TBY	70	112	10-18.5		TC	75	95	12	
TBY	70	112	14-20		TC	75	95	13	
TC	70	115	13		TB	75	95	13	
TC	70	115	15		SAx2	75	95	13	
TBx3	70	120	15		SB	75	97	13	
HTBR	70	130	13		TC	75	100	10	
TC	71	88	8		SC	75	100	10	
TC	71	95	12.5		TB	75	100	10	
TC	72	85.5	5		TC	75	100	12	
TC	72	90	8		TB	75	100	12	
TC	72	90	10		HTBR	75	100	12-13	
TC	72	90	13		HTBx3	75	100	12-13	
HSCL	72	92	9		TC	75	100	13	
TC	72	92	12		TB	75	100	13	
HSCL	72	92	12		SB	75	100	13	
HTCR	72	94	12		TCx3	75	100	13	
TC	72	95	10		TBx3	75	100	13	
SC	72	95	10		SAx2	75	100	13	
TC	72	95	13		HTCL	75	100	13	
HTCL	72	96	9		HTCR	75	100	13	
HTCR	72	96	9		TC	75	100	20	
TCx35Y	72	96	9		TC	75	100.3	13	
TC	72	100	10		SC	75	102	12	
TC	72	100	13		TC	75	105	10	
SC	72	100	14.5		TAx2	75	105	12	
TC	72	105	13		HTBR	75	105	12	
TAx2	72	105	13		TC	75	105	13	
TC	72	110	13		SC	75	105	13	
TB	73	90	8		TB	75	105	13	
TC	73	100	10		TC	75	105	15	
TC	73	100	13		TB	75	105	15	
TC	74	95	7		HTBR	75	105	15	
SC	74	95	7		TAx29Y	75	108	10-20	
VC	74	95	7		TC	75	110	10	
TC	74	96	9		TC	75	110	13	
TC	74	98	12		SB	75	110	13	
HTCL	74	98	12		TAx2	75	110	13	
HTCR	74	98	12		SAY	75	112	10-17.5	
Y	74	98.5-103	20		TC	75	115	10	
TC	74	105	15		TC	75	115	12	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	75	120	12	
TC	75	120	13	
TB	75	120	13	
TC	75	121	13	
TB	75	121	13	
TB	75	121	14	
TC6Y	75	121	13-23	
TB6Y	75	121	13-23	
TC	75	122	12	
TC	75	130	13	
TB	76	93	10	
HTCL	76	93	10	
TB	76	94	10	
TBx3	76	102	8.5	
TC	76	105	14	
TC	76	110	13	
TB	76	110	13	
SB	76	110	13	
TAY	76	115	8.4-21	
TCx5	76	156.5	11.5	
TC	77	93	10	
TB	77	93	10	
HTCL	77	93	10	
TC	77	93	11	
TC	77	95	10	
HSCY	77	96	7-9	
TC	77	100	10	
TC	77	100	11.45	
TAx2Y	77	102	9-19	
TC	78	100	10	
SB	78	100	10	
TC	78	100	13	
TC	78	110	13	
TCx3Y	78	163	16	
HSCY	79	96.5	6.5-9.5	
VC	80	90	5	
TC	80	92	12	
KBY	80	94	8-11	
TC	80	95	8	
SC	80	95	8	
HTCL	80	96	9	
HTCx35L	80	96	9	
TC	80	100	8.5	
HTCL	80	100	8.5	
TC	80	100	10	
SC	80	100	10	
TB	80	100	10	
HTCL	80	100	10	
HTCR	80	100	10	
TC	80	100	11	
TC	80	100	12	
TCx3	80	100	12	
HTCL	80	100	12	
HTCR	80	100	12	

	METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	80	100	13	
SC	80	100	13	
TB	80	100	13	
TCx3	80	100	13	
HTCL	80	100	13	
HTCR	80	100	13	
HSCL	80	100	13	
SC	80	100	14	
TB	80	100	15	
SB	80	105	8	
TC	80	105	10	
HSCx5L	80	100-105	10	
TB	80	105	12	
TC	80	105	13	
SC	80	105	13	
TB	80	105	13	
HTCL	80	105	13	
HTCx3R	80	105	13	
TC	80	110	10	
SC	80	110	10	
TC	80	110	12	
SB	80	110	12	
TC	80	110	13	
SC	80	110	13	
TB	80	110	13	
TAY	80	113	10-22	
TAx2Y	80	113	10-22	
TC	80	115	10	
TC	80	115	13	
TC	80	120	10	
TC	80	120	12	
TC	80	120	13	
TB	80	120	13	
OC	80	120.5	10	
OC	80	122	12	
TC	80	125	12	
TC	80	125	13	
TC	80	130	13	
TB	80	130	13	
TC	80	133	22	
TCY	80	135	12-26	
TC	80	135	12	
TC	80	140	12	
TC	82	105	10	
TC	82	105	12	
TC	82	105	13	
SC	82	105	13	
TCx35Y	82	105	13	
TC	82	110	13	
TC	83	97	8	
HTCL	83	100	9	
TC	84	100	10	
TB	84	100	10	
TC	84	105	13	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
GA(VB)	85	95	7-10		TB	88	115	13	
KBY	85	99	8-11		TAx2	88	115	13	
SC	85	100	6		KBY	90	104	8-11	
SB	85	100	9		SC	90	105	8	
TC	85	100	10		TC	90	105	12	
TB	85	100	10		SC	90	110	8	
TC	85	100	12		HTCL	90	110	9	
TC	85	105	10		TB	90	110	10	
TB	85	105	10		SB	90	110	10	
SB	85	105	10		TC	90	110	11	
SAx2	85	105	10		TC	90	110	12	
HSBL	85	105	10		SC	90	110	12	
HTC	85	105	12		TC	90	110	13	
HTCx3L	85	105	12		SC	90	110	13	
TC	85	105	13		TB	90	110	13	
TB	85	105	13		HTCx3L	90	110	13	
HTCR	85	105	13		TB	90	110	13-12	
HSB	85	105	13		TC	90	110	15	
SB	85	105	13-12		SB	90	110	16-15	
SC	85	110	8		TC	90	112	13	
TC	85	110	10		SC	90	112	19	
SC	85	110	10		TC	90	112.7	12	
TC	85	110	12		TC	90	112.7	13	
SC	85	110	12		SAx2	90	112.7	13	
SB	85	110	12		TC	90	113	13	
TCx3	85	110	12		TC	90	115	9	
TC	85	110	13		TC	90	115	10	
SB	85	110	13		TB	90	115	10	
TC	85	111	10		TC	90	115	13	
TC	85	114	12		TB	90	115	13	
TC	85	115	13		TC	90	118	12	
TB	85	115	13		TAx2	90	118	12	
TC	85	120	12		SAx2Y	90	118-125	9.5-16.7	
TC	85	120	13		TC	90	120	10	
SB	85	120	13		TC	90	120	12	
TC	85	125	12		SC	90	120	12	
TC	85	125	13		TC	90	120	13	
TC	85	125	14		TB	90	120	13	
SAY	85	128	11-22		SB	90	120	13	
TC	85	130	12		SC	90	120	13	
TC	85	130	13		TC	90	125	10	
SB	85	130	13		TC	90	125	12	
TC	85	140	12		TC	90	125	13	
HTCx3	86	104	11		TB	90	125	13	
SC	86	108	11		TC	90	125	15	
OV	86	150	13		SC	90	130	10	
VC	87	98	6		TC	90	130	13	
HSC	87	106	8.5		TB	90	130	13	
VC	88	98	6		TC	90	135	12	
SB	88	110	10		TC	90	135	13	
TC	88	110	12		TC	90	140	12	
SC	88	110	12		VC	92	100	13	
TC	88	110	13		HTBL	93	117	12	
TC	88	115	13		SB	94	114	5	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	94	126	12	
TB	94	126	12	
SC	95	110	10	
HTCL	95	110	10	
TC	95	110	11	
HTCL	95	110	11	
TC	95	110	12	
TC	95	110	13	
TC	95	115	10	
TC	95	115	12	
HTCL	95	115	12	
TC	95	115	13	
SC	95	115	13	
HTCL	95	118	10	
TC	95	120	10	
TC	95	120	12	
SC	95	120	12	
HTCR	95	120	12	
TC	95	120	13	
SC	95	120	13	
TB	95	120	13	
SAx2	95	120	13	
TC	95	124	14	
TC	95	125	10	
TC	95	125	12	
SC	95	125	12	
TC	95	125	13	
SC	95	125	13	
TB	95	125	13	
SC	95	135	13	
TC	95	130	12	
TC	95	130	13	
SC	95	130	13	
TB	95	130	13	
SAx2	95	130	13	
TAx2Y	95	132	12-21.5	
TC	95	135	13	
SA	95	135	13	
TC	95	155	12	
HTBY	96	113-146	15	
TC	96	117	10	
TC	97	114	12	
SA	97	144.7	12	
SAx2	97.5	124	12	
TC	98	120	12	
TC	98	120	13	
TC	98	130	13	
TB	98	136.6	12.7	
GA(VB)	100	110	7-10	
TB	100	114	10	
KBY	100	114	8-11	
SC	100	115	9	
SB	100	115	13	
TC	100	118	12	

	METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	100	120	11	
SC	100	120	11	
TB	100	120	11	
TC	100	120	12	
SC	100	120	12	
TB	100	120	12	
HSCL	100	120	12	
TC	100	120	13	
HTC	100	120	13	
SAx2	100	120	13	
YL	100	120	13-15	
SB	100	125	8	
TC	100	125	10	
TC	100	125	11	
TB	100	125	11	
TC	100	125	12	
TC	100	125	13	
SC	100	125	13	
TB	100	125	13	
TCY	100	125	12-14	
TC	100	127	10	
TC	100	128	12	
TB	100	128	12	
TC	100	130	10	
TC	100	130	12	
SC	100	130	12	
DC	100	130	12	
HSC	100	130	12	
TC	100	130	13	
TB	100	130	13	
TC	100	130	13-01	
TC	100	130	15	
TCx35Y	100	130	15.5-5	
TC	100	130	20	
TC	100	135	12	
SC	100	135	13	
HTC	100	135	13-12	
TC	100	135	14	
TCx35Y	100	135	14-15	
TCx3	100	135	15	
SC	100	140	12	
TC	100	140	13	
SC	100	140	13	
TAY	100	145	14.5-26	
TC	100	150	13	
SC	100	150	13	
TAY	100	154	34	
SB	101	121	8	
TC	102	116	12	
TB	102	116	14	
TC	102	125	13	
HTCL	102	125	13	
TC	102	127	11	
TC	102	130	13	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
SC	104	125	10		SA	110	140	14	
SB	104	130	15-13		TC	110	140	20	
KBY	105	121	9-12		TC	110	145	12	
HTCL	105	125	11		TC	110	145	15	
TC	105	125	13		TC	110	150	12	
SC	105	125	13		TC	110	150	15	
SB	105	125	13		TB	110	150	15	
TC	105	130	12		TAY	110	154	34	
SC	105	130	12		TC	110	155	12	
TC	105	130	13		TC	110	160	13	
SAx2	105	130	13		TC	112	140	13	
HTBR	105	130	13-15		TC	112	142	14	
TC	105	135	12		SAx2	113	160	12	
TC	105	135	13		TC	114	135	13	
TB	105	135	13		TC	114	140	13	
TC	105	135	14		TB	114	140	13	
TB	105	135	14		SBY	114	140-154	16-27	
TCx35Y	105	135	14		SBY	114	142-170	14-26	
HTCL	105	135	14		TC	115	133	13	
TC	105	140	12		TC	115	135	12	
TC	105	140	13		TC	115	135	13	
TB	105	140	13		TB	115	135	13	
SAx2	105	140	13		TC	115	135	14	
TC	105	140	14		TC	115	140	12	
SBY	105	140	22		SC	115	140	12	
TC	105	145	12		TC	115	140	13	
TB	105	145	14		TB	115	140	13	
TC	105	150	13		SAx2	115	140	13	
TC	105	170.5	12		TC	115	140	15	
TC	106	126	12		TC	115	140	16	
HTCL	106	126	12		TC	115	145	10	
TB	107	130	13		TC	115	145	13	
TB	107	143	13		TB	115	145	13	
GA(VB)	110	120	7-10		TC	115	145	14	
OB	110	125	12		TB	115	145	14	
TC	110	130	8		TB	115	145	15	
TC	110	130	12		TCx35Y	115	145-155	15.5	
SC	110	130	12		TC	115	145	16	
TC	110	130	13		TC	115	150	12	
TB	110	130	13		TC	115	150	13	
SAx2	110	133.3	12		TB	115	150	13	
SAx2	110.3	133.3	12.7		SAx2	115	150	13	
TC	110	135	12		TC	115	155	12	
TC	110	135	13		TAY	115	156	15-28	
TB	110	135	13		TC	115	160	12	
HTBL	110	135	13		TC	115	160	15	
SC	110	140	10		TB	116	132	12	
TC	110	140	12		TAx2Y	117	174	15.5-28	
TC	110	140	13		TB	118	133	10	
SC	110	140	13		TC	118	140	13	
TB	110	140	13		KBY	120	136	9-12	
SAx2	110	140	13		TBx3	120	140	10.5	
SB	110	140	14		TC	120	140	12	
TA	110	140	14		TB	120	140	12	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Metric Series Size Table

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	120	140	13		SAx2	125	150	15	
TB	120	140	13		HTCL	125	150	15	
HTBL	120	140	13		TC	125	152.4	13	
SC	120	140	15		SAx2	125	152.4	13	
TCx5	120	140-146	13		SAx2	125	152.4	15	
TC	120	145	13		TC	125	155	12	
TB	120	145	13		TC	125	155	14	
SAx2	120	145	13		TB	125	155	14	
SAx2	120	145	14.5		TC	125	160	12	
TC	120	145	15		TC	125	160	13	
TAx2	120	145	15		TC	125	160	15	
TC	120	146	14		TB	125	160	15	
TC	120	150	12		SAx2	125	160	15	
SC	120	150	12		TC	125	165	15	
TAx2	120	150	12		TC	125	170	15	
TC	120	150	13		TB	125	185	13	
TB	120	150	13		SB	127	170	31	
SAx2	120	150	13		TB	128	148	14	
TC	120	150	14		HTCL	128	148.2	10	
TB	120	150	14		TC	128	150	13	
TCx3	120	150	14		SC	128	160	15	
HTCL	120	150	14		KBY	130	146	9-12	
TC	120	150	15		TB	130	150	9.5	
TB	120	150	15		TB	130	150	10	
TAx2	120	150	15-12		TC	130	150	12	
SAY	120	150	36.5		TBX3	130	150	14	
TB	120	152.4	15		TC	130	155	12	
TC	120	155	12		TC	130	155	13	
TC	120	160	12		TB	130	155	13	
TC	120	160	14		TC	130	156	13	
TC	120	160	15		TB	130	156	13	
TB	120	160	15		TC	130	160	12	
TC	120	160	16		SC	130	160	12	
TC	120	170	15		TC	130	160	13	
SC	120	150	13		SC	130	160	13	
TC	122	141	12		SAx2	130	160	13	
TC	122.2	150	15		TC	130	160	14	
TAx2Y	123	184	15-28		TB	130	160	14	
TC	124	150	10		TC	130	160	15	
OC	124	170	14.5		TB	130	160	15	
VB	125	140	9-12		SAx2	130	160	15	
SC	125	140	13		SB	130	160	15	
TC	125	143	13		TC	130	165	15	
TC	125	145	15		TC	130	170	12	
TC	125	150	12		TC	130	170	14	
SC	125	150	12		TC	130	170	15	
TCx4	125	150	12-14		TC	130	180	16	
TC	125	150	13		SAx2	132	160	13	
TB	125	150	13		TB	133	159	13	
SAx2	125	150	13		TB	134	152	11	
TC	125	150	14		TC	135	160	13	
TB	125	150	14		SC	135	160	13	
HTCx5	125	150	14		TB	135	160	14	
TC	125	150	15		TC	135	160	15	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	135	162	13		TC	145	180	15	
TB	135	162	13		TBx3	146	164	14	
TC	135	165	12		TB	146	170	18	
TC	135	165	13		TB	148	170	14.5	
SAx2	135	165	13		GA(VB)	150	165	9-12	
TB	135	165	14		TC	150	165	15	
TB	135	165	14-16		TC	150	168	13	
TC	135	165	15		TB	150	168	13	
TC	135	170	12		SB	150	168	13	
SC	135	170	12		TC	150	170	13	
TC	135	170	15		TB	150	170	13	
TB	135	170	16		SC	150	170	15	
Y	138	148	7		SAx2	150	170	15	
TB	138	152	12		TC	150	175	15	
TB	139	170	12		TC	150	177.8	13	
GA(VB)	140	155	9-12		OC	150	178	15	
KBY	140	160	10-14		SC	150	180	12	
TC	140	160	13		TC	150	180	13	
SAx2	140	160	13		SC	150	180	13	
TB	140	160	14		TB	150	180	13	
TC	140	161	14		TC	150	180	14	
TC	140	165	13		SC	150	180	14	
TB	140	165	14		TB	150	180	14	
TC	140	165	15		TC	150	180	15	
SC	140	170	12		SC	150	180	15	
TC	140	170	13		TB	150	180	15	
TC	140	170	14		TAx2	150	180	15	
TB	140	170	14		TC	150	190	15	
TC	140	170	15		SC	150	190	16	
SC	140	170	15		TC	150	200	15	
TB	140	170	15		TB	154	175	13	
TAx2	140	170	15		TC	155	170	15	
TC	140	175	15		SC	155	174	12	
TC	140	180	15		TC	155	175	15	
SC	144	160	12		TB	155	175	15	
TBx3	145	164	14		TB	155	180	13	
TC	145	165	13		TC	155	180	14	
TC	145	165	15		TC	155	180	15	
SC	145	165	15		TB	155	180	15	
HTC	145	167	13		SAx2	155	180	15	
TB	145	170	13		TB	155	180	17	
TC	145	170	14		TB	155	185	14	
TB	145	170	14		SAx2	155	186.18	14	
TC	145	170	15		TC	155	190	15	
SC	145	170	15		TB	155	190	17	
SAx2	145	175	13		TC	155	200	15	
TC	145	175	14		TC	158	190	16	
SC	145	175	14		TB	158	190	16	
TB	145	175	14		TC	160	180	13	
TAx2	145	175	14		SC	160	180	13	
TC	145	175	15		TB	160	180	13	
SC	145	175	15		TB	160	180	15	
TC	145	180	12		TCx3	160	182	18	
SC	145	180	12		TC	160	185	10	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	160	185	13		SC	190	225	15	
SC	160	185	13		TC	190	230	15	
TB	160	185	13		SC	190	230	15	
TB	160	185	15		TC	190	250	20	
SAx2	160	186.18	13		TC	195	220	15	
TC	160	190	13		TC	195	220	16	
TC	160	190	15		SC	195	230	17	
SC	160	200	12		TC	195	235	16	
TC	160	200	15		TC	200	230	15	
TC	162	187	10		TB	200	230	15	
TC	165	190	12		TC	200	230	16	
TC	165	190	13		TCx4	200	237.7	24.5	
SC	165	190	13		TC	200	240	15	
SB	165	190	13		SC	200	240	15	
TC	165	190	15		TC	200	250	15	
TC	165	195	16		TC	205	230	16	
TC	165	200	15		TC	210	240	15	
SB	165	220	20		SC	210	240	15	
TBY	168	188	31.5		TC	210	250	15	
TC	168	200	15		SC	210	250	15	
SC	170	190	8.5		TC	215	240	12	
TC	170	190	13		TC	215	250	16	
TC	170	190	15		TC	220	250	15	
TC	170	200	13		SC	220	250	15	
TC	170	200	15		TB	220	250	15	
SC	170	200	15		TC	220	255	15	
TB	170	200	15		TC	220	260	15	
TC	170	210	15		TC	220	270	15	
TC	170	220	15		TC	225	250	15	
TC	175	200	11.5		SAx2	225	250	16	
TC	175	200	15		TC	230	260	15	
SC	175	200	15		TC	230	265	15	
TC	175	210	15		TC	230	270	15	
TC	175	215	16		SC	230	270	15	
TB	180	200	13		SAx2	230	270	15	
TC	180	200	15		TC	230	280	15	
TB	180	200	15		SAx2	230	280	16	
TC	180	210	15		TC	235	270	16	
SC	180	210	15		TC	240	270	15	
TC	180	210	16		SC	240	270	15	
TC	180	215	15		TC	240	280	15	
TC	180	220	16		SAx2	245	270	16	
TC	180	230	15		TB	245	305	28	
TC	185	210	10		TC	250	280	15	
TC	185	210	13		TC	250	285	15	
SC	185	210	13		SC	250	285	18	
TC	185	210	15		TC	250	290	15	
TC	185	215	16		SC	250	290	15	
SC	185	215	16		SAx2	258	290	16	
SC	190	210	18		TC	260	290	15	
TC	190	220	13		SAx2	260	290	16	
TC	190	220	15		SC	260	300	15	
SAx2	190	220	15		TC	260	300	18	
TC	190	220	16		TC	270	300	15	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.