

Seagull Oil Seals | Imperial Series Size Table

Page 1 of 3 | Size tables for the Oil Seal Single Lip Imperial - Width 1/4"

INCH SERIES				Price	INCH SERIES				Price
Type	Shaft	Housing	Width		Type	Shaft	Housing	Width	
	Dia.	Dia.				Dia.	Dia.		
TC	0.250	0.625	0.187		TC	0.625	1.000	0.250	
SC	0.250	0.625	0.187		SC	0.625	1.000	0.250	
SC	0.250	0.750	0.250		TB	0.625	1.000	0.250	
SC	0.250	1.000	0.187		SC	0.625	1.000	0.312	
VB	0.312	0.562	0.250		TC	0.625	1.062	0.250	
VB	0.312	0.576	0.187		TC	0.625	1.125	0.250	
TC	0.312	0.750	0.250		SC	0.625	1.125	0.250	
SC	0.312	0.750	0.250		TB	0.625	1.125	0.250	
TC	0.312	0.875	0.250		SB	0.625	1.125	0.250	
SC	0.312	0.875	0.250		DC	0.625	1.125	0.297	
SC	0.375	0.687	0.156		SC	0.625	1.125	0.312	
TC	0.375	0.750	0.250		DC	0.625	1.125	0.312	
SC	0.375	0.750	0.250		TC	0.625	1.125	0.375	
TB	0.375	0.750	0.250		SC	0.625	1.125	0.375	
TC	0.375	0.875	0.250		TC	0.625	1.250	0.250	
SC	0.375	0.875	0.250		SC	0.625	1.250	0.250	
TC	0.375	0.875	0.312		SC	0.625	1.309	0.187	
TC	0.375	1.000	0.250		TC	0.625	1.375	0.250	
SA	0.375	1.000	0.375		SC	0.625	1.375	0.250	
TC	0.375	1.062	0.250		SC	0.625	1.375	0.312	
SC	0.375	1.125	0.250		TC	0.625	1.500	0.375	
SC	0.375	1.375	0.375		SC	0.625	1.500	0.375	
TC	0.375	1.500	0.375		VC	0.625	1.562	0.438	
TC	0.437	0.875	0.250		TC	0.656	1.250	.250-.312	
SC	0.437	0.875	0.250		SAx2	0.671	1.864	0.500	
SC	0.437	1.000	0.250		DC	0.683	1.125	0.250	
TC	0.437	1.125	0.375		TC	0.687	1.125	0.250	
TCY	0.472	0.875	.250-.312		SC	0.687	1.250	0.250	
VB	0.500	0.875	0.125		TB	0.687	1.250	0.250	
TC	0.500	0.875	0.250		TC	0.687	1.375	0.250	
SC	0.500	0.875	0.250		KB	0.750	1.000	0.156	
TC	0.500	0.937	0.250		VB	0.750	1.125	0.187	
TC	0.500	1.000	0.250		TC	0.750	1.125	0.250	
SC	0.500	1.000	0.250		SC	0.750	1.125	0.250	
TB	0.500	1.000	0.250		TC	0.750	1.187	0.250	
SB	0.500	1.000	0.250		VB	0.750	1.250	0.125	
TC	0.500	1.062	0.250		SB	0.750	1.250	0.187	
SC	0.500	1.125	0.250		VB	0.750	1.250	0.187	
TC	0.500	1.125	0.312		TC	0.750	1.250	0.250	
TC	0.500	1.125	0.375		SC	0.750	1.250	0.250	
SC	0.500	1.125	0.375		DC	0.750	1.250	0.250	
SC	0.500	1.250	0.250		TC	0.750	1.250	0.312	
SC	0.500	1.375	0.250		SC	0.750	1.250	0.312	
TC	0.562	1.000	0.250		SB	0.750	1.250	0.312	
SB	0.562	1.062	0.250		DC	0.750	1.250	0.312	
TC	0.562	1.125	0.250		SC	0.750	1.250	0.375	
SC	0.562	1.125	0.250		SAx2	0.750	1.250	0.375	
SC	0.562	1.250	0.250		TB	0.750	1.253	0.250	
SAx2	0.590	1.566	0.456		TC	0.750	1.312	0.250	
SB	0.610	0.925	0.236		SC	0.750	1.312	0.250	
SC	0.625	0.937	0.187		SC	0.750	1.318	0.312	
VC	0.625	0.937	0.187		TC	0.750	1.375	0.250	
TC	0.625	1.000	0.187		SC	0.750	1.375	0.250	
SC	0.625	1.000	0.187		TB	0.750	1.375	0.250	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.
AIMS Industrial | aimsindustrial.com.au

Seagull Oil Seals | Imperial Series Size Table

Page 2 of 3 | Size tables for the Oil Seal Single Lip Imperial - Width 1/4"

INCH SERIES					INCH SERIES				
Type	Shaft	Housing	Width	Price	Type	Shaft	Housing	Width	Price
	Dia.	Dia.				Dia.	Dia.		
TC	0.750	1.375	0.312		TC	0.875	1.937	0.375	
TC	0.750	1.375	0.375		SC	0.875	2.062	0.375	
SC	0.750	1.375	0.375		TC	0.937	1.375	0.250	
SC	0.750	1.437	0.250		SC	0.937	1.375	0.250	
TC	0.750	1.500	0.250		TC	0.937	1.500	0.250	
SC	0.750	1.500	0.250		SC	0.937	1.500	0.250	
TC	0.750	1.500	0.312		SC	0.937	1.750	0.250	
SC	0.750	1.500	0.312		TC	0.937	1.750	0.375	
TC	0.750	1.500	0.375		SB	0.937	1.783	0.315	
SC	0.750	1.500	0.375		SB	0.969	1.500	0.312	
TC	0.750	1.625	0.250		SB	0.984	1.750	0.187	
SC	0.750	1.625	0.250		VC	1.000	1.250	0.125	
SC	0.750	1.625	0.312		VB	1.000	1.250	0.125	
TC	0.750	1.625	0.375		VB	1.000	1.250	0.156	
SC	0.750	1.625	0.375		TC	1.000	1.375	0.250	
TC	0.750	1.687	0.250		SC	1.000	1.375	0.250	
TB	0.750	1.750	0.250		HTCR	1.000	1.375	0.250	
SC	0.750	1.750	0.375		HTCR	1.000	1.385	0.250	
TC	0.750	1.812	0.250		TC	1.000	1.437	0.187	
TC	0.750	1.875	0.250		SC	1.000	1.437	0.187	
SC	0.750	1.875	0.250		TC	1.000	1.437	0.250	
SC	0.750	1.875	0.312		SC	1.000	1.437	0.250	
TC	0.750	1.937	0.375		TB	1.000	1.437	0.250	
TC	0.781	1.250	.250-.289		SB	1.000	1.441	0.250	
SB	0.781	1.854	0.375		TB	1.000	1.499	0.250	
TC	0.812	1.187	0.250		TC	1.000	1.500	0.250	
TC	0.812	1.312	0.250		SC	1.000	1.500	0.250	
SC	0.812	1.375	0.250		TB	1.000	1.500	0.250	
TC	0.812	1.500	0.375		SC	1.000	1.500	0.312	
VB	0.812	1.625	0.187		VB	1.000	1.500	0.312	
TC	0.812	1.625	0.375		TC	1.000	1.500	0.375	
SC	0.812	2.000	0.375		SB	1.000	1.500	0.375	
SAx2	0.843	1.831	0.453		VB	1.000	1.562	0.187	
KB	0.875	1.125	0.125		SC	1.000	1.562	0.312	
VB	0.875	1.125	0.125		TC	1.000	1.625	0.234	
TC	0.875	1.250	0.250		TC	1.000	1.625	0.250	
SC	0.875	1.250	0.250		SC	1.000	1.625	0.250	
TC	0.875	1.300	0.250		SB	1.000	1.625	0.250	
SB	0.875	1.308	0.187		TC	1.000	1.625	0.312	
VB	0.875	1.312	0.250		TC	1.000	1.625	0.375	
TC	0.875	1.375	0.250		SC	1.000	1.625	0.375	
SC	0.875	1.375	0.250		SAx2	1.000	1.625	0.375	
SB	0.875	1.375	0.250		TC	1.000	1.687	0.250	
SB	0.875	1.375	0.312		SAx2	1.000	1.688	0.375	
TC	0.875	1.500	0.250		TC	1.000	1.750	0.187	
SC	0.875	1.500	0.250		SC	1.000	1.750	0.196	
TC	0.875	1.500	0.312		TC	1.000	1.750	0.250	
TC	0.875	1.500	0.375		SC	1.000	1.750	0.250	
TC	0.875	1.625	0.250		TC	1.000	1.750	0.312	
TC	0.875	1.625	0.375		TC	1.000	1.750	0.375	
SC	0.875	1.625	0.375		SC	1.000	1.750	0.375	
TC	0.875	1.812	0.250		SAx2	1.000	1.752	0.437	
SB	0.875	1.875	0.250		TC	1.000	1.812	0.250	
SC	0.875	1.875	0.375		SC	1.000	1.828	0.437	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.
AIMS Industrial | aimsindustrial.com.au

Seagull Oil Seals | Imperial Series Size Table

Page 3 of 3 | Size tables for the Oil Seal Single Lip Imperial - Width 1/4"

INCH SERIES					INCH SERIES				
Type	Shaft	Housing	Width	Price	Type	Shaft	Housing	Width	Price
	Dia.	Dia.				Dia.	Dia.		
TC	1.000	1.875	0.250		HTCR	1.125	1.875	0.250	
SC	1.000	1.875	0.250		TC	1.125	1.875	0.375	
TC	1.000	1.875	0.375		SC	1.125	1.875	0.375	
TC	1.000	1.937	0.375		HSCR	1.125	1.875	0.375	
SAx2	1.000	1.969	0.375		SC	1.125	1.937	0.375	
TC	1.000	2.000	0.250		SC	1.125	2.000	0.250	
SC	1.000	2.000	0.250		TC	1.125	2.000	0.375	
TC	1.000	2.000	0.375		SC	1.125	2.000	0.375	
SC	1.000	2.000	0.375		TC	1.125	2.000	0.500	
TC	1.000	2.000	0.500		SC	1.125	2.000	0.500	
DC	1.000	2.000	0.546		SC	1.125	2.062	0.250	
TC	1.000	2.000	0.562		SC	1.125	2.125	0.250	
SC	1.000	2.062	0.250		TC	1.125	2.187	0.375	
TC	1.000	2.125	0.250		TC	1.125	2.250	0.250	
TC	1.000	2.187	0.375		SC	1.125	2.250	0.250	
TC	1.000	2.250	0.375		SC	1.125	2.250	0.375	
TC	1.000	2.312	0.375		TC	1.125	2.312	0.375	
TC	1.000	2.500	0.375		TC	1.125	2.375	0.375	
SC	1.000	2.500	0.375		TC	1.125	2.437	0.375	
SB	1.028	2.500	0.500		SC	1.125	2.500	0.375	
TC	1.062	1.500	0.250		TC	1.125	3.500	0.500	
TC	1.062	1.625	0.250		TC	1.181	1.753	0.393	
SC	1.062	1.625	0.312		TC	1.187	1.750	0.250	
TC	1.062	1.750	0.375		TC	1.187	1.750	0.437	
SC	1.062	1.750	0.375		TC	1.187	1.875	0.312	
TC	1.062	1.875	0.375		SC	1.187	1.875	0.312	
SC	1.062	1.875	0.375		TC	1.187	2.000	0.250	
TC	1.062	2.250	0.375		SC	1.187	2.000	0.250	
TC	1.093	1.753	0.375		SC	1.187	2.000	0.375	
SC	1.093	1.753	0.437		TC	1.187	2.125	0.375	
VB	1.125	1.375	0.187		TB	1.187	2.156	0.250	
VB	1.125	1.438	0.203		TC	1.187	2.250	0.375	
TC	1.125	1.500	0.250		VBx4	1.220	1.750	0.280	
SC	1.125	1.500	0.250		VB	1.250	1.500	0.125	
TC	1.125	1.500	.250-.312		VB	1.250	1.500	0.250	
SC	1.125	1.562	0.250		TC	1.250	1.625	0.250	
SC	1.125	1.562	0.312		SC	1.250	1.625	0.250	
TC	1.125	1.625	0.250		SC	1.250	1.687	0.218	
SC	1.125	1.625	0.250		SB	1.250	1.687	0.218	
VB	1.125	1.625	0.250		TC	1.250	1.687	0.250	
DB	1.125	1.625	0.250		SB	1.250	1.687	0.312	
TC	1.125	1.625	0.312		SB	1.250	1.716	0.375	
VB	1.125	1.625	0.312		TC	1.250	1.750	0.250	
SC	1.125	1.625	0.375		SC	1.250	1.750	0.250	
TC	1.125	1.687	0.250		VB	1.250	1.750	0.312	
SC	1.125	1.687	0.250		TC	1.250	1.750	0.375	
TB	1.125	1.719	0.256		SC	1.250	1.750	0.375	
TC	1.125	1.750	0.250		SB	1.250	1.756	0.250	
SC	1.125	1.750	0.375		SC	1.250	1.759	0.390	
TC	1.125	1.753	0.393		TC	1.250	1.875	0.250	
TC	1.125	1.812	0.250		SC	1.250	1.875	0.250	
TC	1.125	1.812	0.437		TC	1.250	1.875	0.313	
SAx2	1.125	1.831	0.437		TC	1.250	1.875	0.375	
SC	1.125	1.875	0.250		SC	1.250	1.875	0.375	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.
AIMS Industrial | aimsindustrial.com.au