Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	0.250	0.625	0.187		TC	0.625	1.000	0.250	
SC	0.250	0.625	0.187		SC	0.625	1.000	0.250	
SC	0.250	0.750	0.250		TB	0.625	1.000	0.250	
SC	0.250	1.000	0.187		SC	0.625	1.000	0.312	
VB	0.312	0.562	0.250		TC	0.625	1.062	0.250	
VB	0.312	0.576	0.187		TC	0.625	1.125	0.250	
TC	0.312	0.750	0.250		SC	0.625	1.125	0.250	
SC	0.312	0.750	0.250		TB	0.625	1.125	0.250	
TC	0.312	0.875	0.250		SB	0.625	1.125	0.250	
SC	0.312	0.875	0.250		DC	0.625	1.125	0.297	
SC	0.375	0.687	0.156		SC	0.625	1.125	0.312	
TC	0.375	0.750	0.250		DC	0.625	1.125	0.312	
SC	0.375	0.750	0.250		TC	0.625	1.125	0.375	
TB	0.375	0.750	0.250		SC	0.625	1.125	0.375	
TC	0.375	0.875	0.250		TC	0.625	1.250	0.250	
SC	0.375	0.875	0.250		SC	0.625	1.250	0.250	
TC	0.375	0.875	0.312		SC	0.625	1.309	0.187	
TC	0.375	1.000	0.250		TC	0.625	1.375	0.250	
SA	0.375	1.000	0.375		SC	0.625	1.375	0.250	
TC	0.375	1.062	0.250		SC	0.625	1.375	0.312	
SC	0.375	1.125	0.250		TC	0.625	1.500	0.375	
SC	0.375	1.375	0.375		SC	0.625	1.500	0.375	
TC	0.375	1.500	0.375		VC	0.625	1.562	0.438	
TC	0.437	0.875	0.250		TC	0.656	1.250	.250-.312	
SC	0.437	0.875	0.250		SAx2	0.671	1.864	0.500	
SC	0.437	1.000	0.250		DC	0.683	1.125	0.250	
TC	0.437	1.125	0.375		TC	0.687	1.125	0.250	
TCY	0.472	0.875	.250-.312		SC	0.687	1.250	0.250	
VB	0.500	0.875	0.125		TB	0.687	1.250	0.250	
TC	0.500	0.875	0.250		TC	0.687	1.375	0.250	
SC	0.500	0.875	0.250		KB	0.750	1.000	0.156	
TC	0.500	0.937	0.250		VB	0.750	1.125	0.187	
TC	0.500	1.000	0.250		TC	0.750	1.125	0.250	
SC	0.500	1.000	0.250		SC	0.750	1.125	0.250	
TB	0.500	1.000	0.250		TC	0.750	1.187	0.250	
SB	0.500	1.000	0.250		VB	0.750	1.250	0.125	
TC	0.500	1.062	0.250		SB	0.750	1.250	0.187	
SC	0.500	1.125	0.250		VB	0.750	1.250	0.187	
TC	0.500	1.125	0.312		TC	0.750	1.250	0.250	
TC	0.500	1.125	0.375		SC	0.750	1.250	0.250	
SC	0.500	1.125	0.375		DC	0.750	1.250	0.250	
SC	0.500	1.250	0.250		TC	0.750	1.250	0.312	
SC	0.500	1.375	0.250		SC	0.750	1.250	0.312	
TC	0.562	1.000	0.250		SB	0.750	1.250	0.312	
SB	0.562	1.062	0.250		DC	0.750	1.250	0.312	
TC	0.562	1.125	0.250		SC	0.750	1.250	0.375	
SC	0.562	1.125	0.250		SAx2	0.750	1.250	0.375	
SC	0.562	1.250	0.250		TB	0.750	1.253	0.250	
SAx2	0.590	1.566	0.456		TC	0.750	1.312	0.250	
SB	0.610	0.925	0.236		SC	0.750	1.312	0.250	
SC	0.625	0.937	0.187		SC	0.750	1.318	0.312	
VC	0.625	0.937	0.187		TC	0.750	1.375	0.250	
TC	0.625	1.000	0.187		SC	0.750	1.375	0.250	
SC	0.625	1.000	0.187		TB	0.750	1.375	0.250	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	0.750	1.375	0.312	
TC	0.750	1.375	0.375	
SC	0.750	1.375	0.375	
SC	0.750	1.437	0.250	
TC	0.750	1.500	0.250	
SC	0.750	1.500	0.250	
TC	0.750	1.500	0.312	
SC	0.750	1.500	0.312	
TC	0.750	1.500	0.375	
SC	0.750	1.500	0.375	
TC	0.750	1.625	0.250	
SC	0.750	1.625	0.250	
SC	0.750	1.625	0.312	
TC	0.750	1.625	0.375	
SC	0.750	1.625	0.375	
TC	0.750	1.687	0.250	
TB	0.750	1.750	0.250	
SC	0.750	1.750	0.375	
TC	0.750	1.812	0.250	
TC	0.750	1.875	0.250	
SC	0.750	1.875	0.250	
SC	0.750	1.875	0.312	
TC	0.750	1.937	0.375	
TC	0.781	1.250	.250-.289	
SB	0.781	1.854	0.375	
TC	0.812	1.187	0.250	
TC	0.812	1.312	0.250	
SC	0.812	1.375	0.250	
TC	0.812	1.500	0.375	
VB	0.812	1.625	0.187	
TC	0.812	1.625	0.375	
SC	0.812	2.000	0.375	
SAx2	0.843	1.831	0.453	
KB	0.875	1.125	0.125	
VB	0.875	1.125	0.125	
TC	0.875	1.250	0.250	
SC	0.875	1.250	0.250	
TC	0.875	1.300	0.250	
SB	0.875	1.308	0.187	
VB	0.875	1.312	0.250	
TC	0.875	1.375	0.250	
SC	0.875	1.375	0.250	
SB	0.875	1.375	0.250	
SB	0.875	1.375	0.312	
TC	0.875	1.500	0.250	
SC	0.875	1.500	0.250	
TC	0.875	1.500	0.312	
TC	0.875	1.500	0.375	
TC	0.875	1.625	0.250	
TC	0.875	1.625	0.375	
SC	0.875	1.625	0.375	
TC	0.875	1.812	0.250	
SB	0.875	1.875	0.250	
SC	0.875	1.875	0.375	

	INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	0.875	1.937	0.375	
SC	0.875	2.062	0.375	
TC	0.937	1.375	0.250	
SC	0.937	1.375	0.250	
TC	0.937	1.500	0.250	
SC	0.937	1.500	0.250	
SC	0.937	1.750	0.250	
TC	0.937	1.750	0.375	
SB	0.937	1.783	0.315	
SB	0.969	1.500	0.312	
SB	0.984	1.750	0.187	
VC	1.000	1.250	0.125	
VB	1.000	1.250	0.125	
VB	1.000	1.250	0.156	
TC	1.000	1.375	0.250	
SC	1.000	1.375	0.250	
HTCR	1.000	1.375	0.250	
HTCR	1.000	1.385	0.250	
TC	1.000	1.437	0.187	
SC	1.000	1.437	0.187	
TC	1.000	1.437	0.250	
SC	1.000	1.437	0.250	
TB	1.000	1.437	0.250	
SB	1.000	1.441	0.250	
TB	1.000	1.499	0.250	
TC	1.000	1.500	0.250	
SC	1.000	1.500	0.250	
TB	1.000	1.500	0.250	
SC	1.000	1.500	0.312	
VB	1.000	1.500	0.312	
TC	1.000	1.500	0.375	
SB	1.000	1.500	0.375	
VB	1.000	1.562	0.187	
SC	1.000	1.562	0.312	
TC	1.000	1.625	0.234	
TC	1.000	1.625	0.250	
SC	1.000	1.625	0.250	
SB	1.000	1.625	0.250	
TC	1.000	1.625	0.312	
TC	1.000	1.625	0.375	
SC	1.000	1.625	0.375	
SAx2	1.000	1.625	0.375	
TC	1.000	1.687	0.250	
SAx2	1.000	1.688	0.375	
TC	1.000	1.750	0.187	
SC	1.000	1.750	0.196	
TC	1.000	1.750	0.250	
SC	1.000	1.750	0.250	
TC	1.000	1.750	0.312	
TC	1.000	1.750	0.375	
SC	1.000	1.750	0.375	
SAx2	1.000	1.752	0.437	
TC	1.000	1.812	0.250	
SC	1.000	1.828	0.437	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	1.000	1.875	0.250		HTCR	1.125	1.875	0.250	
SC	1.000	1.875	0.250		TC	1.125	1.875	0.375	
TC	1.000	1.875	0.375		SC	1.125	1.875	0.375	
TC	1.000	1.937	0.375		HSCR	1.125	1.875	0.375	
SAx2	1.000	1.969	0.375		SC	1.125	1.937	0.375	
TC	1.000	2.000	0.250		SC	1.125	2.000	0.250	
SC	1.000	2.000	0.250		TC	1.125	2.000	0.375	
TC	1.000	2.000	0.375		SC	1.125	2.000	0.375	
SC	1.000	2.000	0.375		TC	1.125	2.000	0.500	
TC	1.000	2.000	0.500		SC	1.125	2.000	0.500	
DC	1.000	2.000	0.546		SC	1.125	2.062	0.250	
TC	1.000	2.000	0.562		SC	1.125	2.125	0.250	
SC	1.000	2.062	0.250		TC	1.125	2.187	0.375	
TC	1.000	2.125	0.250		TC	1.125	2.250	0.250	
TC	1.000	2.187	0.375		SC	1.125	2.250	0.250	
TC	1.000	2.250	0.375		SC	1.125	2.250	0.375	
TC	1.000	2.312	0.375		TC	1.125	2.312	0.375	
TC	1.000	2.500	0.375		TC	1.125	2.375	0.375	
SC	1.000	2.500	0.375		TC	1.125	2.437	0.375	
SB	1.028	2.500	0.500		SC	1.125	2.500	0.375	
TC	1.062	1.500	0.250		TC	1.125	3.500	0.500	
TC	1.062	1.625	0.250		TC	1.181	1.753	0.393	
SC	1.062	1.625	0.312		TC	1.187	1.750	0.250	
TC	1.062	1.750	0.375		TC	1.187	1.750	0.437	
SC	1.062	1.750	0.375		TC	1.187	1.875	0.312	
TC	1.062	1.875	0.375		SC	1.187	1.875	0.312	
SC	1.062	1.875	0.375		TC	1.187	2.000	0.250	
TC	1.062	2.250	0.375		SC	1.187	2.000	0.250	
TC	1.093	1.753	0.375		SC	1.187	2.000	0.375	
SC	1.093	1.753	0.437		TC	1.187	2.125	0.375	
VB	1.125	1.375	0.187		TB	1.187	2.156	0.250	
VB	1.125	1.438	0.203		TC	1.187	2.250	0.375	
TC	1.125	1.500	0.250		VBx4	1.220	1.750	0.280	
SC	1.125	1.500	0.250		VB	1.250	1.500	0.125	
TC	1.125	1.500	.250-.312		VB	1.250	1.500	0.250	
SC	1.125	1.562	0.250		TC	1.250	1.625	0.250	
SC	1.125	1.562	0.312		SC	1.250	1.625	0.250	
TC	1.125	1.625	0.250		SC	1.250	1.687	0.218	
SC	1.125	1.625	0.250		SB	1.250	1.687	0.218	
VB	1.125	1.625	0.250		TC	1.250	1.687	0.250	
DB	1.125	1.625	0.250		SB	1.250	1.687	0.312	
TC	1.125	1.625	0.312		SB	1.250	1.716	0.375	
VB	1.125	1.625	0.312		TC	1.250	1.750	0.250	
SC	1.125	1.625	0.375		SC	1.250	1.750	0.250	
TC	1.125	1.687	0.250		VB	1.250	1.750	0.312	
SC	1.125	1.687	0.250		TC	1.250	1.750	0.375	
TB	1.125	1.719	0.256		SC	1.250	1.750	0.375	
TC	1.125	1.750	0.250		SB	1.250	1.756	0.250	
SC	1.125	1.750	0.375		SC	1.250	1.759	0.390	
TC	1.125	1.753	0.393		TC	1.250	1.875	0.250	
TC	1.125	1.812	0.250		SC	1.250	1.875	0.250	
TC	1.125	1.812	0.437		TC	1.250	1.875	0.313	
SAx2	1.125	1.831	0.437		TC	1.250	1.875	0.375	
SC	1.125	1.875	0.250		SC	1.250	1.875	0.375	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	1.250	1.875	0.437	
TC	1.250	1.937	0.375	
VAx2	1.250	1.983	0.250	
SB	1.250	1.984	0.250	
TC	1.250	2.000	0.250	
SC	1.250	2.000	0.250	
TC	1.250	2.000	0.312	
TC	1.250	2.000	0.375	
SC	1.250	2.000	0.375	
TAx2	1.250	2.000	0.437	
TC	1.250	2.000	0.500	
TAx2	1.250	2.000	0.640	
TAx2	1.250	2.000	0.689	
SC	1.250	2.062	0.250	
SC	1.250	2.062	0.375	
SC	1.250	2.125	0.250	
SC	1.250	2.125	0.375	
SB	1.250	2.125	0.375	
TC	1.250	2.187	0.375	
TC	1.250	2.250	0.250	
SC	1.250	2.250	0.250	
TC	1.250	2.250	0.312	
SC	1.250	2.250	0.312	
TC	1.250	2.250	0.375	
SC	1.250	2.250	0.375	
TC	1.250	2.250	0.500	
SC	1.250	2.250	0.500	
TC	1.250	2.312	0.375	
SC	1.250	2.375	0.375	
TC	1.250	2.437	0.312	
TC	1.250	2.500	0.250	
SC	1.250	2.500	0.250	
SC	1.250	2.500	0.375	
TC	1.250	2.625	0.375	
TC	1.250	2.750	0.375	
TC	1.250	2.875	0.250	
TC	1.260	1.753	0.354	
TC	1.312	1.750	0.375	
TC	1.312	2.000	0.250	
SC	1.312	2.000	0.500	
SC	1.312	2.062	0.375	
HSC	1.312	2.062	0.406	
TC	1.312	2.125	0.375	
SC	1.312	2.125	0.375	
SA	1.312	2.125	0.500	
TC	1.312	2.250	0.375	
TC	1.312	2.375	0.375	
TC	1.312	2.500	0.375	
VC	1.344	1.750	0.187	
SB	1.362	2.191	0.250	
TC	1.370	1.950	0.270	
SB	1.375	1.625	.125-.187	
TC	1.375	1.831	0.312	
TC	1.375	1.875	0.250	

	INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
SC	1.375	1.875	0.250	
TC	1.375	1.875	0.312	
SC	1.375	1.875	0.312	
TC	1.375	1.875	.312-.375	
SA	1.375	1.875	0.437	
TB	1.375	1.946	0.500	
HTC	1.375	1.949	0.500	
SC	1.375	2.000	0.250	
TC	1.375	2.000	0.312	
SC	1.375	2.000	0.312	
SB	1.375	2.000	0.312	
TC	1.375	2.000	0.375	
SC	1.375	2.000	0.375	
TC	1.375	2.062	0.250	
SC	1.375	2.062	0.250	
HSCR	1.375	2.062	0.500	
SC	1.375	2.125	0.312	
TC	1.375	2.125	0.375	
SC	1.375	2.125	0.375	
SB	1.375	2.125	0.375	
SAx2	1.375	2.125	0.437	
TC	1.375	2.187	0.375	
TC	1.375	2.210	0.563	
SC	1.375	2.250	0.250	
TC	1.375	2.250	0.312	
TC	1.375	2.250	0.375	
SC	1.375	2.250	0.375	
TB	1.375	2.250	0.375	
SC	1.375	2.250	0.500	
SB	1.375	2.250	0.562	
VB	1.375	2.286	0.313	
TC	1.375	2.312	0.375	
TC	1.375	2.375	0.375	
SC	1.375	2.375	0.375	
SC	1.375	2.375	0.500	
TC	1.375	2.437	0.375	
TC	1.375	2.500	0.375	
SC	1.375	2.500	0.375	
TC	1.375	2.687	0.375	
SC	1.375	2.750	0.375	
TC	1.375	2.875	0.375	
TC	1.375	3.000	0.375	
TC	1.437	2.063	0.312	
SC	1.437	2.063	0.312	
TC	1.437	2.066	0.187	
TC	1.437	2.125	0.250	
SC	1.437	2.125	0.250	
SC	1.437	2.250	0.375	
SC	1.437	2.312	0.437	
TC	1.437	2.328	0.250	
TC	1.437	2.331	0.394	
TC	1.437	2.375	0.375	
Tc	1.437	2.500	0.375	
TC	1.500	1.875	0.187	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
VB	1.500	1.875	0.187		SC	1.500	2.875	0.375	
SC	1.500	1.875	0.250		TC	1.500	2.937	0.375	
SB	1.500	1.983	0.313		TC	1.500	3.000	0.375	
TC	1.500	1.990	0.250		TB	1.547	1.984	0.281	
TC	1.500	2.000	0.250		TC	1.562	2.125	0.375	
SC	1.500	2.000	0.250		SC	1.562	2.125	0.375	
SC	1.500	2.000	0.312		TC	1.562	2.250	0.375	
VB	1.500	2.000	0.312		SC	1.562	2.250	0.375	
TC	1.500	2.000	0.375		TC	1.562	2.312	0.375	
SC	1.500	2.000	0.375		HTCR	1.562	2.312	0.375	
TC	1.500	2.000	0.500		TC	1.562	2.375	0.375	
TC	1.500	2.062	0.250		SC	1.562	2.375	0.375	
SC	1.500	2.062	0.250		SAX2	1.562	2.437	0.469	
SC	1.500	2.062	0.312		SC	1.562	2.500	0.250	
TC	1.500	2.125	0.312		TB	1.562	2.500	0.312	
TC	1.500	2.125	0.375		TC	1.562	2.500	0.500	
SC	1.500	2.125	0.375		TB	1.562	2.500	0.500	
TC	1.500	2.187	0.375		SAx2	1.562	2.500	0.500	
SC	1.500	2.250	0.250		TC	1.562	2.625	0.375	
SC	1.500	2.250	0.312		SC	1.562	2.687	0.375	
TC	1.500	2.250	0.375		SC	1.562	2.695	0.375	
SC	1.500	2.250	0.375		TC	1.562	2.750	0.375	
TC	1.500	2.250	0.500		TC	1.562	3.000	0.375	
SC	1.500	2.250	0.500		SB	1.563	2.506	0.312	
TC	1.500	2.312	0.312		TB	1.618	2.579	0.500	
TC	1.500	2.328	0.313		VB	1.625	2.000	0.187	
SC	1.500	2.328	0.313		TC	1.625	2.125	0.375	
SC	1.500	2.328	0.375		SC	1.625	2.125	0.375	
TC	1.500	2.375	0.375		TC	1.625	2.187	0.375	
SC	1.500	2.375	0.375		SC	1.625	2.250	0.375	
TC	1.500	2.375	0.500		TC	1.625	2.250	0.500	
SC	1.500	2.375	0.500		BRY	1.625	2.265-3.000	0.500	
TB	1.500	2.375	0.500		SC	1.625	2.375	0.312	
DC	1.500	2.375	0.500		TC	1.625	2.375	0.375	
TC	1.500	2.437	0.375		SC	1.625	2.375	0.375	
SAY	1.500	2.437-3.156	.250-.609		TC	1.625	2.394	0.375	
SB	1.500	2.444	0.312		TC	1.625	2.437	0.375	
SB	1.500	2.500	0.312		SAx2	1.625	2.437	0.469	
TC	1.500	2.500	0.312		SC	1.625	2.500	0.312	
TC	1.500	2.500	0.375		TC	1.625	2.500	0.375	
SC	1.500	2.500	0.375		SC	1.625	2.500	0.375	
TB	1.500	2.500	0.375		SC	1.625	2.500	0.469	
SB	1.500	2.500	0.437		TC	1.625	2.500	0.500	
TC	1.500	2.500	0.500		SC	1.625	2.500	0.500	
SC	1.500	2.500	0.500		TC	1.625	2.562	0.375	
DC	1.500	2.500	0.732		SB	1.625	2.623	0.313	
TC	1.500	2.562	0.375		TCY	1.625	2.625	.344-.375	
SC	1.500	2.625	0.375		SC	1.625	2.625	0.375	
SC	1.500	2.625	0.500		TC	1.625	2.687	0.375	
TC	1.500	2.687	0.375		SC	1.625	2.750	0.375	
TC	1.500	2.750	0.375		TC	1.625	2.750	0.500	
SC	1.500	2.750	0.375		TC	1.625	2.812	0.375	
SC	1.500	2.750	0.500		TC	1.625	2.875	0.375	
TC	1.500	2.812	0.375		SC	1.625	2.875	0.375	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	1.625	2.875	0.500		TC	1.750	3.125	0.375	
TC	1.625	2.937	0.375		SC	1.750	3.187	0.500	
TC	1.625	3.000	0.375		TC	1.750	3.375	0.375	
TC	1.625	3.250	0.375		TC	1.750	3.500	0.500	
SC	1.630	2.618	0.375		TC	1.750	3.625	0.500	
HTCL	1.656	2.609	0.382		TC	1.762	2.411	0.375	
TC	1.687	2.250	0.312		SB	1.763	2.416	0.375	
TC	1.687	2.500	0.375		TB	1.766	2.416	0.375	
TC	1.687	2.687	0.500		SA	1.766	2.416	0.437	
TC	1.687	2.750	0.375		SC	1.781	2.375	0.344	
TC	1.687	3.000	0.375		TC	1.812	2.500	0.375	
VB	1.734	2.726	0.512		SC	1.812	2.625	0.375	
VBY	1.750	2.125	.187-.250		HSCR	1.812	2.625	0.375	
VB	1.750	2.250	0.312		OC	1.812	2.625	0.437	
TC	1.750	2.250	0.375		HSC	1.812	2.625	0.437	
SC	1.750	2.250	0.375		SAx2	1.812	2.686	0.375	
TC	1.750	2.312	0.250		TC	1.812	2.750	0.375	
TC	1.750	2.375	0.250		TC	1.812	2.875	0.375	
TC	1.750	2.375	0.375		HSCR	1.812	2.875	0.594	
SC	1.750	2.375	0.375		TC	1.812	3.000	0.375	
HTB	1.750	2.375	0.375		SB	1.844	2.754	0.313	
SB	1.750	2.378	0.375		SC	1.855	2.375	0.250	
HTB	1.750	2.406	0.375		TC	1.875	2.375	0.250	
TC	1.750	2.437	0.375		VB	1.875	2.375	0.312	
SB	1.750	2.441	0.313		SC	1.875	2.375	0.375	
TC	1.750	2.500	0.250		SC	1.875	2.500	0.312	
SC	1.750	2.500	0.250		SAx2	1.875	2.500	0.312	
SC	1.750	2.500	0.312		TC	1.875	2.500	0.375	
SB	1.750	2.500	0.312		SC	1.875	2.500	0.375	
TC	1.750	2.500	0.375		SB	1.875	2.500	0.375	
SC	1.750	2.500	0.375		HSCR	1.875	2.500	0.375	
TB	1.750	2.500	0.375		SC	1.875	2.500	0.500	
TC	1.750	2.500	.312-.375		TC	1.875	2.562	0.312	
SC	1.750	2.500	0.500		HSCR	1.875	2.562	0.375	
TB	1.750	2.500	0.500		SB	1.875	2.565	0.375	
SA+L	1.750	2.500	0.500		TC	1.875	2.625	0.375	
TC	1.750	2.562	0.375		SC	1.875	2.625	0.375	
TC	1.750	2.625	0.375		SC	1.875	2.630	0.433	
SC	1.750	2.625	0.375		TC	1.875	2.750	0.375	
SC	1.750	2.625	0.500		SC	1.875	2.750	0.375	
TC	1.750	2.687	0.375		TC	1.875	2.750	0.500	
TC	1.750	2.750	0.375		SC	1.875	2.750	0.500	
SC	1.750	2.750	0.375		SC	1.875	2.756	0.375	
TC	1.750	2.750	0.500		TAx2	1.875	2.786	0.438	
SC	1.750	2.750	0.500		TC	1.875	2.812	0.375	
TC	1.750	2.812	0.375		TC	1.875	2.875	0.375	
TC	1.750	2.875	0.375		SC	1.875	2.875	0.375	
SC	1.750	2.875	0.375		TBY	1.875	2.875	.375-.500	
SAx2	1.750	2.875	0.468		TC	1.875	2.937	0.375	
TC	1.750	2.937	0.375		TC	1.875	3.000	0.375	
TC	1.750	3.000	0.375		SC	1.875	3.000	0.375	
SC	1.750	3.000	0.375		TC	1.875	3.000	0.500	
TC	1.750	3.000	0.500		TC	1.875	3.125	0.375	
SAx2	1.750	3.000	0.500		SC	1.875	3.125	0.500	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TB	1.875	3.129	0.500		SC	2.000	3.062	0.375	
TC	1.875	3.130	0.500		SC	2.000	3.125	0.375	
SA	1.875	3.130	0.500		SC	2.000	3.187	0.469	
SC	1.925	3.000	0.500		SC	2.000	3.250	0.375	
TB	1.925	3.000	0.500		TC	2.000	3.375	0.375	
TB	1.937	3.000	0.500		SC	2.000	3.375	0.375	
TC	1.937	3.187	0.500		TC	2.000	3.375	0.500	
SAx2	1.938	2.500	0.312		HTBx5Y	2.000	3.406-3.575	0.500	
SC	1.938	2.500	0.375		SC	2.000	3.500	0.375	
SAx2	1.938	2.563	0.375		TB	2.000	3.621	0.250	
SC	1.938	2.570	0.375		TC	2.000	3.625	0.500	
TC	1.938	2.625	0.375		TC	2.000	3.750	0.500	
SB	1.938	2.688	0.312		SC	2.062	2.875	0.375	
SB	1.938	2.688	0.500		OC	2.062	2.937	0.437	
TC	1.938	2.750	0.375		TC	2.062	3.000	0.375	
SC	1.938	2.750	0.375		TC	2.062	3.187	0.453	
TB	1.938	2.750	0.375		VB	2.087	3.000	0.315	
TC	1.938	3.000	0.375		SC	2.125	2.750	0.312	
SC	1.938	3.000	0.500		TC	2.125	2.750	0.375	
TB	1.938	3.000	0.500		SC	2.125	2.750	0.375	
SAx2	1.961	3.169	0.472		VB	2.125	2.875	0.250	
VB	2.000	2.375	.175-.281		TC	2.125	2.875	0.375	
VB	2.000	2.375	0.187		SC	2.125	2.875	0.375	
TC	2.000	2.500	0.250		TB	2.125	2.875	0.375	
SC	2.000	2.500	0.250		HTCR	2.125	2.875	0.375	
VB	2.000	2.500	0.250		SAx2	2.125	2.875	0.437	
VB	2.000	2.500	0.312		TC	2.125	3.000	0.375	
SC	2.000	2.500	0.375		SC	2.125	3.000	0.375	
HSCR	2.000	2.594	0.343		TB	2.125	3.000	0.375	
KB	2.000	2.625	0.250		TC	2.125	3.000	0.500	
VB	2.000	2.625	0.250		SC	2.125	3.000	0.500	
TC	2.000	2.625	0.375		SB	2.125	3.000	0.500	
SC	2.000	2.625	0.375		SC	2.125	3.062	0.375	
VBY	2.000	2.687	.312-.562		TB	2.125	3.062	0.375	
TC	2.000	2.687	0.375		TB	2.125	3.062	0.500	
TC	2.000	2.750	0.375		SB	2.125	3.062	0.500	
SC	2.000	2.750	0.375		SB	2.125	3.066	0.500	
HTCR	2.000	2.750	.375-.437		TC	2.125	3.125	0.375	
SAY	2.000	2.750	.434-.544		SC	2.125	3.125	0.375	
TC	2.000	2.750	0.500		TC	2.125	3.125	0.500	
SC	2.000	2.750	0.500		TC	2.125	3.187	0.500	
TC	2.000	2.875	0.375		TC	2.125	3.200	0.375	
SC	2.000	2.875	0.375		TC	2.125	3.250	0.375	
TC	2.000	2.875	0.500		TC	2.125	3.250	0.500	
SA	2.000	2.879	0.468		SC	2.125	3.250	0.500	
TC	2.000	2.937	0.375		SC	2.125	3.375	0.375	
TC	2.000	3.000	0.375		SC	2.125	3.500	0.375	
SC	2.000	3.000	0.375		TC	2.125	3.500	0.500	
SBY	2.000	3.000	.375-.579		TC	2.165	2.878	0.437	
TC	2.000	3.000	0.500		SC	2.187	2.562	0.250	
SC	2.000	3.000	0.500		TC	2.187	2.875	0.375	
TB	2.000	3.000	0.500		TC	2.187	3.000	0.375	
SAx2	2.000	3.000	0.500		SC	2.187	3.000	0.375	
TAx2	2.000	3.001	0.375		SA	2.187	3.000	0.500	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	2.187	3.250	0.375		SC	2.356	3.750	0.500	
TC	2.187	3.375	0.500		SC	2.375	2.750	0.312	
VB	2.240	3.194	0.610		SB	2.375	2.750	0.312	
VB	2.250	2.750	0.312		VB	2.375	2.875	0.312	
TC	2.250	2.750	0.375		TC	2.375	2.875	0.375	
TC	2.250	2.875	0.375		SC	2.375	2.875	0.375	
SC	2.250	2.875	0.375		TC	2.375	3.000	0.375	
SC	2.250	2.875	0.500		SC	2.375	3.000	0.375	
TC	2.250	3.000	0.375		TC	2.375	3.013	0.437	
SC	2.250	3.000	0.375		SC	2.375	3.062	0.375	
TC	2.250	3.000	0.500		SB	2.375	3.062	0.500	
SC	2.250	3.000	0.500		SAx2	2.375	3.079	0.500	
TB	2.250	3.000	0.500		TC	2.375	3.125	0.375	
SAx2	2.250	3.000	0.500		SC	2.375	3.125	0.375	
SA+L	2.250	3.000	0.500		TB	2.375	3.125	0.375	
TB	2.250	3.000	0.625		SC	2.375	3.125	0.473	
SC	2.250	3.062	0.375		SC	2.375	3.125	0.500	
TB	2.250	3.062	0.500		SC	2.375	3.250	0.375	
TC	2.250	3.125	0.375		TC	2.375	3.250	0.500	
SC	2.250	3.125	0.375		SC	2.375	3.250	0.500	
SAx2	2.250	3.125	0.500		VAx2	2.375	3.350	0.250	
TC	2.250	3.187	0.375		TAx2	2.375	3.355	0.468	
SC	2.250	3.250	0.375		TC	2.375	3.375	0.375	
TC	2.250	3.250	0.500		SC	2.375	3.375	0.375	
SC	2.250	3.250	0.500		SC	2.375	3.375	0.500	
SC	2.250	3.312	0.375		TC	2.375	3.375	0.875	
SC	2.250	3.315	0.375		TC	2.375	3.500	0.375	
SAx2	2.250	3.359	0.312		SC	2.375	3.500	0.375	
SAx2	2.250	3.371	0.437		SC	2.375	3.500	0.437	
TC	2.250	3.375	0.375		SC	2.375	3.500	0.500	
SC	2.250	3.375	0.375		TAx2	2.375	3.623	0.430	
DB	2.250	3.375	0.375		SC	2.375	3.625	0.375	
TC	2.250	3.375	0.500		TC	2.375	3.625	0.500	
SC	2.250	3.375	0.500		TC	2.375	3.750	0.375	
TC	2.250	3.375	0.562		SC	2.375	3.750	0.375	
TC	2.250	3.500	0.500		SC	2.375	3.750	0.500	
SC	2.250	3.500	0.500		TC	2.378	3.126	0.370	
TC	2.250	3.625	0.375		TC	2.437	3.250	0.375	
SC	2.250	3.625	0.375		SC	2.437	3.250	0.375	
TC	2.250	3.625	0.500		TC	2.437	3.375	0.500	
SC	2.250	3.750	0.375		TC	2.437	3.500	0.375	
OC	2.250	3.906	0.250		TC	2.437	3.625	0.500	
FELT	2.250	4.015	0.797		VB	2.500	3.000	0.250	
TC	2.250	4.724	0.472		VB	2.500	3.000	0.312	
VB	2.313	3.005	0.250		TC	2.500	3.000	0.375	
SC	2.313	3.125	0.375		TC	2.500	3.062	0.375	
HTBR	2.313	3.125	0.375		SC	2.500	3.062	0.375	
TC	2.313	3.125	0.500		SC	2.500	3.125	0.500	
TC	2.313	3.187	0.375		TC	2.500	3.187	0.375	
TC	2.313	3.375	0.375		TC	2.500	3.250	0.375	
TC	2.313	3.351	0.312		SC	2.500	3.250	0.375	
TC	2.313	3.359	0.312		TB	2.500	3.250	0.375	
SC	2.356	3.500	0.500		TC	2.500	3.250	0.500	
SC	2.356	3.625	0.500		TBx35Y	2.500	3.312-3.593	0.500	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
SC	2.500	3.375	0.375		SC	2.625	3.750	0.500	
TC	2.500	3.375	0.500		SAx2	2.625	3.875	0.438	
SC	2.500	3.375	0.500		SC	2.625	3.875	0.500	
TC	2.500	3.500	0.375		SAx2	2.625	3.937	0.500	
SC	2.500	3.500	0.375		SC	2.625	4.000	0.500	
TC	2.500	3.500	0.500		SC	2.625	4.125	0.500	
TBx3	2.500	3.500	0.500		SC	2.687	3.500	0.375	
TB	2.500	3.500	0.734		TC	2.687	3.750	0.500	
SAx2	2.500	3.505	0.500		VB	2.750	3.250	0.312	
SB+FELT	2.500	3.505	0.687		TC	2.750	3.500	0.375	
SC	2.500	3.547	0.453		SC	2.750	3.500	0.375	
TC	2.500	3.547	0.500		TC	2.750	3.500	0.500	
TC	2.500	3.625	0.375		SAx2	2.750	3.543	0.438	
SC	2.500	3.625	0.375		TC	2.750	3.625	0.375	
TC	2.500	3.750	0.375		SC	2.750	3.625	0.375	
TBx4	2.500	3.750	0.437		SAx2	2.750	3.625	0.437	
TC	2.500	3.750	0.500		SC	2.750	3.625	0.500	
SC	2.500	3.750	0.500		TC	2.750	3.628	0.562	
TC	2.500	3.875	0.500		TC	2.750	3.750	0.375	
SC	2.500	3.875	0.500		SC	2.750	3.750	0.375	
TC	2.500	4.000	0.500		TC	2.750	3.750	0.500	
SC	2.500	4.000	0.500		SC	2.750	3.750	0.500	
TB	2.500	3.510	0.492		TC	2.750	3.875	0.375	
SC	2.500	4.125	0.500		SC	2.750	3.875	0.375	
TC	2.500	4.500	0.500		TC	2.750	3.875	0.437	
Y	2.515	6.299	0.562		SC	2.750	3.875	0.437	
SC	2.562	3.375	0.375		Tc	2.750	3.875	0.500	
TC	2.562	3.500	0.500		SC	2.750	3.875	0.500	
TC	2.562	3.750	0.500		TC	2.750	4.000	0.500	
TAx2	2.598	3.486	0.438		SC	2.750	4.125	0.500	
SC	2.625	3.125	0.375		SC	2.750	4.250	0.500	
SC	2.625	3.250	0.375		TC	2.750	4.500	0.500	
TC	2.625	3.375	0.375		SC	2.812	3.375	0.375	
SC	2.625	3.375	0.375		SC	2.812	3.625	0.375	
SAx2	2.625	3.375	0.375		SB	2.875	3.375	0.187	
HSCR	2.625	3.375	0.375		SC	2.875	3.625	0.375	
TC	2.625	3.375	0.500		SC	2.875	3.750	0.500	
SC	2.625	3.375	0.500		SC	2.875	3.875	0.375	
SC	2.625	3.382	0.375		TC	2.875	3.875	0.500	
SC	2.625	3.500	0.375		SC	2.875	3.875	0.500	
TC	2.625	3.500	0.500		TC	2.875	4.000	0.500	
SC	2.625	3.500	0.500		SC	2.875	4.000	0.500	
TB	2.625	3.500	0.531		SB	2.875	4.003	0.469	
TC	2.625	3.505	0.500		SC	2.875	4.125	0.500	
TB	2.625	3.505	0.500		SC	2.875	4.250	0.500	
SAx2	2.625	3.623	0.438		SC	2.875	4.250	0.625	
TC	2.625	3.625	0.375		TC	2.875	4.500	0.500	
SC	2.625	3.625	0.375		TC	2.921	4.513	0.512	
SAx2	2.625	3.625	0.375		SC	2.937	3.750	0.375	
TC	2.625	3.625	0.500		VB	3.000	3.500	0.250	
SC	2.625	3.625	0.500		TC	3.000	3.750	0.375	
TB	2.625	3.625	0.500		SC	3.000	3.750	0.375	
SAx2	2.625	3.695	0.500		TC	3.000	3.750	0.500	
SC	2.625	3.750	0.375		TC	3.000	3.875	0.375	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Imperial Series Size Table

	INCH SERIES					INCH SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
SC	3.000	3.875	0.375		SC	3.250	4.500	0.500	
SAx2	3.000	3.875	0.438		HTC	3.250	4.500	.437-.500	
SBY	3.000	3.875-4.125	0.728		TAx2	3.250	4.504	0.468	
HTCx3L	3.000	3.937	0.437		TC	3.250	4.504	0.625	
HTAx2R	3.000	4.000	0.437		SC	3.250	4.625	0.375	
TC	3.000	4.000	0.500		SC	3.250	4.625	0.500	
SC	3.000	4.000	0.500		SC	3.250	4.730	0.375	
TB	3.000	4.000	0.500		SC	3.250	4.750	0.500	
SC	3.000	4.000	0.623		SC	3.250	5.000	0.500	
SAx2	3.000	4.000	0.438		SB	3.250	5.000	0.500	
TB	3.000	4.007	0.500		TC	3.312	4.375	0.500	
SC	3.000	4.125	0.500		SC	3.312	4.375	0.500	
SAx2	3.000	4.125	0.563		TC	3.312	4.380	0.500	
SC	3.000	4.250	0.500		TC	3.312	4.500	0.500	
TAx2	3.000	4.343	0.500		TB	3.341	5.118	0.500	
SC	3.000	4.375	0.500		TC	3.354	4.514	0.512	
TB	3.000	4.375	0.625		TC	3.375	3.950	0.375	
SC	3.000	4.500	0.437		SC	3.375	4.125	0.500	
TC	3.000	4.500	0.500		SC	3.375	4.250	0.375	
SC	3.000	4.500	0.500		TC	3.375	4.250	0.500	
TC	3.000	4.514	0.512		SC	3.375	4.250	0.500	
SC	3.000	4.625	0.500		TC	3.375	4.375	0.500	
SA	3.000	4.630	0.500		SC	3.375	4.375	0.500	
SC	3.000	4.750	0.500		TC	3.375	4.500	0.500	
TC	3.000	5.000	0.500		SC	3.375	4.500	0.500	
HSCL	3.062	3.750	0.437		SC	3.375	4.625	0.500	
SC	3.062	4.125	0.500		SC	3.375	4.750	0.500	
VAx2	3.125	3.751	0.250		TC	3.375	4.875	0.500	
SC	3.125	3.875	0.375		TC	3.375	5.000	0.500	
SC	3.125	4.000	0.500		SAx2	3.375	5.250	0.500	
SC	3.125	4.125	0.500		OB	3.375	5.937	0.500	
SC	3.125	4.250	0.500		OC	3.431	4.624	0.469	
SC	3.125	4.375	0.500		SAx2	3.432	4.624	0.469	
TC	3.125	4.500	0.500		TC	3.433	4.514	0.512	
SC	3.125	4.500	0.500		HSCL	3.437	4.125	0.375	
SC	3.125	4.625	0.500		TC	3.437	4.500	0.500	
TC	3.125	4.750	0.500		SC	3.437	4.500	0.500	
SC	3.125	4.750	0.500		SAx2	3.437	4.625	0.500	
SC	3.187	4.250	0.500		TB	3.437	4.750	0.500	
TC	3.187	4.500	0.500		SC	3.500	4.125	0.375	
TC	3.187	4.625	0.500		SC	3.500	4.125	0.500	
SAx2	3.188	4.631	0.438		SC	3.500	4.250	0.500	
VB	3.250	3.875	0.312		TC	3.500	4.375	0.500	
HSCL	3.250	3.875	0.500		SC	3.500	4.375	0.500	
TC	3.250	4.000	0.500		HTC	3.500	4.500	.437-.500	
SC	3.250	4.000	0.500		TC	3.500	4.500	0.500	
SAx2	3.250	4.000	0.500		SC	3.500	4.500	0.500	
SC	3.250	4.125	0.500		SC	3.500	4.625	0.500	
SAx2	3.250	4.249	0.438		TC	3.500	4.750	0.500	
TC	3.250	4.250	0.500		SC	3.500	4.750	0.500	
SC	3.250	4.250	0.500		TC	3.500	4.750	0.625	
TC	3.250	4.375	0.500		SC	3.500	4.750	0.625	
SC	3.250	4.375	0.500		SC	3.500	4.875	0.500	
TC	3.250	4.500	0.500		SC	3.500	5.000	0.500	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.