Seagull Oil Seals | Metric Series Size Table

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
SC	38	50.5	6.5		TC	38	62	11	
KB	38	52	6		TC	38	65	9	
VB	38	52	6		TB	38	65	9	
TC	38	52	7		TBx3	38	65	9	
SC	38	52	7		TC	38	65	10	
TC	38	52	8		TC	38	65	12	
SC	38	52	8		HTBR	38	65	12-19	
KB	38	52	8		TBY	38	65	12-19	
TC	83	52	9		TC	38	68	10	
TC	38	52	9.5		SAx2	38	68	12	
KC	38	52	9.5		TC	38	70	10	
TC	38	52	10		SC	38	70	10	
HTCR	38	54	7		SC	38	70	12	
SC	38	54	8		DC	38	72	9.5	
TC	38	54	10		TC	38	72	10	
SC	38	54	10		TC	38	72	12	
TC	38	55	7		TB	38	72	12	
SC	38	55	7		TC	38	74	10	
TC	38	55	8		TC	38	74	11	
TC	38	55	9		SC	38	74	11	
SC	38	55	9		TB	38	74	11	
TCx3	38	55	9		HTBR	38	74	11	
TBx3	38	55	9		TC	38	75	8	
HTCx3	38	55	9		TC	38	78	9	
HTCx3R	38	55	9		SC	38	80	8	
TC	38	55	10		TC	38	80	12	
SC	38	55	10		TC	38	82	12	
TC	38	55	11		HTCR	38.5	58	8.5	
SB	38	55	12		TC	38.5	58	11	
TC	38	56	10		TCx3	38.5	58	11	
SC	38	56	10		HTCR	38.5	58	11	
SC	38	57	11		TB	39	50.5	7	
TC	38	58	7		TCx3	39	51	7.5	
TC	38	58	8		TC	39	62	7	
TAx2	38	58	8		TC	39	63	7	
TC	38	58	10		TC	39	65	10	
TC	38	58	11		TCY	39	70	6-16	
TB	38	58	11		TB	39.5	60	10	
TBx3+F	38	58	11		TC	39.5	62	12	
HTCR	38	58	11		TC	39.7	62	11	
TB	38	58	12		TCx3	39.7	62	11	
FBS+F	38	58	18.3		HTCx3R	39.7	62	11	
SC	38	58.3	9		VCY	40	49.5	5.5-7	
TC	38	60	8		VB	40	50	4	
TC	38	60	10		TC	40	50	7	
SC	38	60	10		TC	40	50	8	
TC	38	62	7		VB	40	50	7-10	
SC	38	62	7		SB	40	52	5	
SC	38	62	8		VB	40	52	6	
SB	38	62	8		TC	40	52	7	
TC	38	62	9		SC	40	52	7	
TC	38	62	10		TB	40	52	7	
SC	38	62	10		TAx2	40	52	7	
TB	38	62	10		HTCR	40	52	7	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Metric Series Size Table

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
HSCR	40	52	7		TCx3	40	62	9	
TC	40	52	8		TC	40	62	10	
SC	40	52	8		SC	40	62	10	
TB	40	52	8		TB	40	62	10	
SB	40	52	8		KC	40	62	10	
TC	40	52	10		SC	40	62	10-7	
KBY	40	52	7-10		TC	40	62	11	
TC	40	52	12		TCx3	40	62	11	
SC	40	53	10		TC	40	62	12	
TB	40	54	5		SC	40	62	12	
TC	40	54	7		TB	40	62	12	
TB	40	54	7		SB	40	62	12	
TC	40	55	7		TB	40	62	10.5-12.5	
SC	40	55	7		TC	40	62	15	
TC	40	55	8		TB	40	62	15	
SC	40	55	8		TC	40	63	7	
TB	40	55	8		SC	40	63	10	
HTCR	40	55	8		TC	40	65	7	
TC	40	55	9		TC	40	65	8	
TB	40	55	9		TC	40	65	9	
HTCR	40	55	9		TC	40	65	10	
TC	40	55	10		SC	40	65	10	
SC	40	55	10		TC	40	65	12	
DC	40	55	10		TC	40	67	10	
TC	40	56	7		TC	40	68	7	
SC	40	56	7		TC	40	68	8	
TB	40	56	7		TC	40	68	10	
HSBR	40	56	7		TB	40	68	11	
TC	40	56	8		TC	40	68	12	
SC	40	56	8		TCx3	40	68	12	
TC	40	56	10		TC	40	70	8	
SC	40	56	10		TC	40	70	10	
TC	40	56	10-8		TC	40	70	12	
TC	40	57	10		HTCY	40	70	12-16	
SC	40	57	10		TC	40	72	7	
TC	40	58	8		SC	40	72	7	
TC	40	58	9		TC	40	72	8	
TC	40	58	10		TC	40	72	10	
SC	40	58	10		TC	40	72	12	
TC	40	58	11		SC	40	72	12	
SC	40	58	12		TC	40	73	8	
SC	40	60	5		TC	40	73	10	
TC	40	60	7		TC	40	74	11	
SC	40	60	7		TBY	40	74	10-18.5	
TC	40	60	8		TC	40	75	8	
SC	40	60	8		TC	40	75	10	
TC	40	60	10		TC	40	75	12	
SC	40	60	10		SC	40	75	12	
TB	40	60	10		SAY+L…	40	76	8.5-18	
TC	40	60	12		TC	40	78	8	
SC	40	62	5		SC	40	78	8	
TC	40	62	7		TC	40	80	8	
TC	40	62	8		TC	40	80	10	
SB	40	62	8		SC	40	80	10	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	40	80	12		TC	42	60	12	
TC	40	80	13		TC	42	62	8	
TCx3	40	80	14		SC	42	62	8	
TBY	40	80	6-16		TC	42	62	10	
OB	40	83	12		TB	42	62	10	
TC	40	90	8		TC	42	62	12	
SC	40	90	10		SC	42	62	12	
SC	41	53	7		SB	42	62	12	
TAx2	41	53	7		SAx2	42	62	12	
SAx2	41	53	7		TC	42	64	10	
TC	41	55	8		TC	42	65	8	
TB	41	55	9		TC	42	65	10	
TC	41	56	7		SC	42	65	10	
TB	41	56	7		TC	42	65	12	
SB	41	56	7		SC	42	65	12	
TC	41	58	9		HTBR	42	65	12	
TB	41	58	9		TC	42	64-65.5	10-13	
SC	41	72	5		TC	42	67	10	
TC	41	73	10		TC	42	68	10	
BRY	41.28	57.53-76.2	12.7		TCY	42	68	10-15.52	
TC	42	52	8		TC	42	70	8	
GA(VB)	42	52	7-10		TC	42	70	10	
SB	42	55	6		TC	42	70	12	
TC	42	55	7		TC	42	72	8	
SC	42	55	7		SC	42	72	8	
TB	42	55	7		TC	42	72	10	
TBx3	42	55	7		SC	42	72	10	
TC	42	55	8		TC	42	72.5	12	
KC	42	55	8		TC	42	75	8	
TC	42	55	9		TC	42	75	10	
TC	42	55	10		TC	42	76	12	
SC	42	55	10		TC	43	54	7.5	
SB	42	55	10		TC	43	55	9	
TC	42	56	7		TC	43	56	7	
SC	42	56	7		HSBR	43	58	7	
TB	42	56	7		TC	43	60	10	
HTCR	42	56	7		SC	43	60	10	
HTCx3	42	56	7		TC	43	62	11	
HTCx3R	42	56	7		TC	43	64	10	
TC	42	56	8		TC	43	66	10	
TC	42	56	10		TC	43	67	12	
TC	42	56.2	7		TB	43	67	12	
TC	42	58	7		TC	43	69	10	
SC	42	58	8		SC	43	72	10	
TC	42	58	10		TC	43	72.5	12	
SC	42	58	10		TC	43	73	10	
TC	42	60	7		SC	44	54	7	
HTCR	42	60	7		TC	44	58	10	
TC	42	60	8		SC	44	58.3	9	
TC	42	60	9		TC	44	60	7	
HTCR	42	60	9		HTCx3R	44	60	7	
TC	42	60	10		HSBR	44	60	8	
SC	42	60	10		TC	44	60	9	
SB	42	60	10		TC	44	61	8	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	75	120	12		TC	80	100	13	
TC	75	120	13		SC	80	100	13	
TB	75	120	13		TB	80	100	13	
TC	75	121	13		TCx3	80	100	13	
TB	75	121	13		HTCL	80	100	13	
TB	75	121	14		HTCR	80	100	13	
TC6Y	75	121	13-23		HSCL	80	100	13	
TB6Y	75	121	13-23		SC	80	100	14	
TC	75	122	12		TB	80	100	15	
TC	75	130	13		SB	80	105	8	
TB	76	93	10		TC	80	105	10	
HTCL	76	93	10		HSCx5L	80	100-105	10	
TB	76	94	10		TB	80	105	12	
TBx3	76	102	8.5		TC	80	105	13	
TC	76	105	14		SC	80	105	13	
TC	76	110	13		TB	80	105	13	
TB	76	110	13		HTCL	80	105	13	
SB	76	110	13		HTCx3R	80	105	13	
TAY	76	115	8.4-21		TC	80	110	10	
TCx5	76	156.5	11.5		SC	80	110	10	
TC	77	93	10		TC	80	110	12	
TB	77	93	10		SB	80	110	12	
HTCL	77	93	10		TC	80	110	13	
TC	77	93	11		SC	80	110	13	
TC	77	95	10		TB	80	110	13	
HSCY	77	96	7-9		TAY	80	113	10-22	
TC	77	100	10		TAx2Y	80	113	10-22	
TC	77	100	11.45		TC	80	115	10	
TAx2Y	77	102	9-19		TC	80	115	13	
TC	78	100	10		TC	80	120	10	
SB	78	100	10		TC	80	120	12	
TC	78	100	13		TC	80	120	13	
TC	78	110	13		TB	80	120	13	
TCx3Y	78	163	16		OC	80	120.5	10	
HSCY	79	96.5	6.5-9.5		OC	80	122	12	
VC	80	90	5		TC	80	125	12	
TC	80	92	12		TC	80	125	13	
KBY	80	94	8-11		TC	80	130	13	
TC	80	95	8		TB	80	130	13	
SC	80	95	8		TC	80	133	22	
HTCL	80	96	9		TCY	80	135	12-26	
HTCx35L	80	96	9		TC	80	135	12	
TC	80	100	8.5		TC	80	140	12	
HTCL	80	100	8.5		TC	82	105	10	
TC	80	100	10		TC	82	105	12	
SC	80	100	10		TC	82	105	13	
TB	80	100	10		SC	82	105	13	
HTCL	80	100	10		TCx35Y	82	105	13	
HTCR	80	100	10		TC	82	110	13	
TC	80	100	11		TC	83	97	8	
TC	80	100	12		HTCL	83	100	9	
TCx3	80	100	12		TC	84	100	10	
HTCL	80	100	12		TB	84	100	10	
HTCR	80	100	12		TC	84	105	13	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
GA(VB)	85	95	7-10		TB	88	115	13	
KBY	85	99	8-11		TAx2	88	115	13	
SC	85	100	6		KBY	90	104	8-11	
SB	85	100	9		SC	90	105	8	
TC	85	100	10		TC	90	105	12	
TB	85	100	10		SC	90	110	8	
TC	85	100	12		HTCL	90	110	9	
TC	85	105	10		TB	90	110	10	
TB	85	105	10		SB	90	110	10	
SB	85	105	10		TC	90	110	11	
SAx2	85	105	10		TC	90	110	12	
HSBL	85	105	10		SC	90	110	12	
HTC	85	105	12		TC	90	110	13	
HTCx3L	85	105	12		SC	90	110	13	
TC	85	105	13		TB	90	110	13	
TB	85	105	13		HTCx3L	90	110	13	
HTCR	85	105	13		TB	90	110	13-12	
HSB	85	105	13		TC	90	110	15	
SB	85	105	13-12		SB	90	110	16-15	
SC	85	110	8		TC	90	112	13	
TC	85	110	10		SC	90	112	19	
SC	85	110	10		TC	90	112.7	12	
TC	85	110	12		TC	90	112.7	13	
SC	85	110	12		SAx2	90	112.7	13	
SB	85	110	12		TC	90	113	13	
TCx3	85	110	12		TC	90	115	9	
TC	85	110	13		TC	90	115	10	
SB	85	110	13		TB	90	115	10	
TC	85	111	10		TC	90	115	13	
TC	85	114	12		TB	90	115	13	
TC	85	115	13		TC	90	118	12	
TB	85	115	13		TAx2	90	118	12	
TC	85	120	12		SAx2Y	90	118-125	9.5-16.7	
TC	85	120	13		TC	90	120	10	
SB	85	120	13		TC	90	120	12	
TC	85	125	12		SC	90	120	12	
TC	85	125	13		TC	90	120	13	
TC	85	125	14		TB	90	120	13	
SAY	85	128	11-22		SB	90	120	13	
TC	85	130	12		SC	90	120	13	
TC	85	130	13		TC	90	125	10	
SB	85	130	13		TC	90	125	12	
TC	85	140	12		TC	90	125	13	
HTCx3	86	104	11		TB	90	125	13	
SC	86	108	11		TC	90	125	15	
OV	86	150	13		SC	90	130	10	
VC	87	98	6		TC	90	130	13	
HSC	87	106	8.5		TB	90	130	13	
VC	88	98	6		TC	90	135	12	
SB	88	110	10		TC	90	135	13	
TC	88	110	12		TC	90	140	12	
SC	88	110	12		VC	92	100	13	
TC	88	110	13		HTBL	93	117	12	
TC	88	115	13		SB	94	114	5	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	94	126	12	
TB	94	126	12	
SC	95	110	10	
HTCL	95	110	10	
TC	95	110	11	
HTCL	95	110	11	
TC	95	110	12	
TC	95	110	13	
TC	95	115	10	
TC	95	115	12	
HTCL	95	115	12	
TC	95	115	13	
SC	95	115	13	
HTCL	95	118	10	
TC	95	120	10	
TC	95	120	12	
SC	95	120	12	
HTCR	95	120	12	
TC	95	120	13	
SC	95	120	13	
TB	95	120	13	
SAx2	95	120	13	
TC	95	124	14	
TC	95	125	10	
TC	95	125	12	
SC	95	125	12	
TC	95	125	13	
SC	95	125	13	
TB	95	125	13	
SC	95	135	13	
TC	95	130	12	
TC	95	130	13	
SC	95	130	13	
TB	95	130	13	
SAx2	95	130	13	
TAx2Y	95	132	12-21.5	
TC	95	135	13	
SA	95	135	13	
TC	95	155	12	
HTBY	96	113-146	15	
TC	96	117	10	
TC	97	114	12	
SA	97	144.7	12	
SAx2	97.5	124	12	
TC	98	120	12	
TC	98	120	13	
TC	98	130	13	
TB	98	136.6	12.7	
GA(VB)	100	110	7-10	
TB	100	114	10	
KBY	100	114	8-11	
SC	100	115	9	
SB	100	115	13	
TC	100	118	12	

	METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price
TC	100	120	11	
SC	100	120	11	
TB	100	120	11	
TC	100	120	12	
SC	100	120	12	
TB	100	120	12	
HSCL	100	120	12	
TC	100	120	13	
HTC	100	120	13	
SAx2	100	120	13	
YL	100	120	13-15	
SB	100	125	8	
TC	100	125	10	
TC	100	125	11	
TB	100	125	11	
TC	100	125	12	
TC	100	125	13	
SC	100	125	13	
TB	100	125	13	
TCY	100	125	12-14	
TC	100	127	10	
TC	100	128	12	
TB	100	128	12	
TC	100	130	10	
TC	100	130	12	
SC	100	130	12	
DC	100	130	12	
HSC	100	130	12	
TC	100	130	13	
TB	100	130	13	
TC	100	130	13-01	
TC	100	130	15	
TCx35Y	100	130	15.5-5	
TC	100	130	20	
TC	100	135	12	
SC	100	135	13	
HTC	100	135	13-12	
TC	100	135	14	
TCx35Y	100	135	14-15	
TCx3	100	135	15	
SC	100	140	12	
TC	100	140	13	
SC	100	140	13	
TAY	100	145	14.5-26	
TC	100	150	13	
SC	100	150	13	
TAY	100	154	34	
SB	101	121	8	
TC	102	116	12	
TB	102	116	14	
TC	102	125	13	
HTCL	102	125	13	
TC	102	127	11	
TC	102	130	13	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
SC	104	125	10		SA	110	140	14	
SB	104	130	15-13		TC	110	140	20	
KBY	105	121	9-12		TC	110	145	12	
HTCL	105	125	11		TC	110	145	15	
TC	105	125	13		TC	110	150	12	
SC	105	125	13		TC	110	150	15	
SB	105	125	13		TB	110	150	15	
TC	105	130	12		TAY	110	154	34	
SC	105	130	12		TC	110	155	12	
TC	105	130	13		TC	110	160	13	
SAx2	105	130	13		TC	112	140	13	
HTBR	105	130	13-15		TC	112	142	14	
TC	105	135	12		SAx2	113	160	12	
TC	105	135	13		TC	114	135	13	
TB	105	135	13		TC	114	140	13	
TC	105	135	14		TB	114	140	13	
TB	105	135	14		SBY	114	140-154	16-27	
TCx35Y	105	135	14		SBY	114	142-170	14-26	
HTCL	105	135	14		TC	115	133	13	
TC	105	140	12		TC	115	135	12	
TC	105	140	13		TC	115	135	13	
TB	105	140	13		TB	115	135	13	
SAx2	105	140	13		TC	115	135	14	
TC	105	140	14		TC	115	140	12	
SBY	105	140	22		SC	115	140	12	
TC	105	145	12		TC	115	140	13	
TB	105	145	14		TB	115	140	13	
TC	105	150	13		SAx2	115	140	13	
TC	105	170.5	12		TC	115	140	15	
TC	106	126	12		TC	115	140	16	
HTCL	106	126	12		TC	115	145	10	
TB	107	130	13		TC	115	145	13	
TB	107	143	13		TB	115	145	13	
GA(VB)	110	120	7-10		TC	115	145	14	
OB	110	125	12		TB	115	145	14	
TC	110	130	8		TB	115	145	15	
TC	110	130	12		TCx35Y	115	145-155	15.5	
SC	110	130	12		TC	115	145	16	
TC	110	130	13		TC	115	150	12	
TB	110	130	13		TC	115	150	13	
SAx2	110	133.3	12		TB	115	150	13	
SAx2	110.3	133.3	12.7		SAx2	115	150	13	
TC	110	135	12		TC	115	155	12	
TC	110	135	13		TAY	115	156	15-28	
TB	110	135	13		TC	115	160	12	
HTBL	110	135	13		TC	115	160	15	
SC	110	140	10		TB	116	132	12	
TC	110	140	12		TAx2Y	117	174	15.5-28	
TC	110	140	13		TB	118	133	10	
SC	110	140	13		TC	118	140	13	
TB	110	140	13		KBY	120	136	9-12	
SAx2	110	140	13		TBx3	120	140	10.5	
SB	110	140	14		TC	120	140	12	
TA	110	140	14		TB	120	140	12	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.

Seagull Oil Seals | Metric Series Size Table

	METRIC SERIES					METRIC SERIES			
Type	Shaft Dia.	Housing Dia.	Width	Price	Type	Shaft Dia.	Housing Dia.	Width	Price
TC	120	140	13		SAx2	125	150	15	
TB	120	140	13		HTCL	125	150	15	
HTBL	120	140	13		TC	125	152.4	13	
SC	120	140	15		SAx2	125	152.4	13	
TCx5	120	140-146	13		SAx2	125	152.4	15	
TC	120	145	13		TC	125	155	12	
TB	120	145	13		TC	125	155	14	
SAx2	120	145	13		TB	125	155	14	
SAx2	120	145	14.5		TC	125	160	12	
TC	120	145	15		TC	125	160	13	
TAx2	120	145	15		TC	125	160	15	
TC	120	146	14		TB	125	160	15	
TC	120	150	12		SAx2	125	160	15	
SC	120	150	12		TC	125	165	15	
TAx2	120	150	12		TC	125	170	15	
TC	120	150	13		TB	125	185	13	
TB	120	150	13		SB	127	170	31	
SAx2	120	150	13		TB	128	148	14	
TC	120	150	14		HTCL	128	148.2	10	
TB	120	150	14		TC	128	150	13	
TCx3	120	150	14		SC	128	160	15	
HTCL	120	150	14		KBY	130	146	9-12	
TC	120	150	15		TB	130	150	9.5	
TB	120	150	15		TB	130	150	10	
TAx2	120	150	15-12		TC	130	150	12	
SAY	120	150	36.5		TBX3	130	150	14	
TB	120	152.4	15		TC	130	155	12	
TC	120	155	12		TC	130	155	13	
TC	120	160	12		TB	130	155	13	
TC	120	160	14		TC	130	156	13	
TC	120	160	15		TB	130	156	13	
TB	120	160	15		TC	130	160	12	
TC	120	160	16		SC	130	160	12	
TC	120	170	15		TC	130	160	13	
SC	120	150	13		SC	130	160	13	
TC	122	141	12		SAx2	130	160	13	
TC	122.2	150	15		TC	130	160	14	
TAx2Y	123	184	15-28		TB	130	160	14	
TC	124	150	10		TC	130	160	15	
OC	124	170	14.5		TB	130	160	15	
VB	125	140	9-12		SAx2	130	160	15	
SC	125	140	13		SB	130	160	15	
TC	125	143	13		TC	130	165	15	
TC	125	145	15		TC	130	170	12	
TC	125	150	12		TC	130	170	14	
SC	125	150	12		TC	130	170	15	
TCx4	125	150	12-14		TC	130	180	16	
TC	125	150	13		SAx2	132	160	13	
TB	125	150	13		TB	133	159	13	
SAx2	125	150	13		TB	134	152	11	
TC	125	150	14		TC	135	160	13	
TB	125	150	14		SC	135	160	13	
HTCx5	125	150	14		TB	135	160	14	
TC	125	150	15		TC	135	160	15	

Source: SEAGULL SEALRING Co., Ltd. oil seal size tables (gasketparts.com.tw). Reference table of the manufacturer's range.
AIMS Industrial stocks a selection of the sizes shown: check the product page for the sizes available. Price column left blank in the source table.